Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2005 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Accident prevention

Real-Time Estimation of Accident Likelihood for Safety Enhancement. — Jun-Seok Oh, Cheol Oh, Stephen G. Ritchie, and Myungsoon Chang; 131(5), 358-63 (2005).

Reducing Boarding and Alighting Accident Rates on Mixed High and Low Platform Railroad Lines through Car and Station Design. — Edward K. Morlok and Bradley F. Nitzberg; 131(5), 382-91 (2005).

Aging

Fatigue Characteristics of Superpave and Hveem Mixtures. — Elie Y. Hajj, Peter E. Sebaaly, and Dean Weitzel; 131(4), 302-10 (2005).

Air quality

Modeling Vehicle Emissions in Hot-Stabilized Conditions Using a Simultaneous Equations Model. — Hualiang (Harry) Teng, Yi (Grace) Qi, Joon H. Byun, Yuko Nakanishi, and David E. James; 131(10), 762-70 (2005).

Air traffic

Procedural and Operational Consequences of Navigational Equipment Outages: Exploration of Airport Performance. — Jasenka Rakas, Huifang Yin, and Mark Hansen; 131(10), 790-801 (2005).

Air transportation

Modeling the Large Scale Disruptions of an Airline Network. — Milan Janić; 131(4), 249-60 (2005).

Airlines

Modeling the Large Scale Disruptions of an Airline Network. — Milan Janić; 131(4), 249-60 (2005).

Airports

Procedural and Operational Consequences of Navigational Equipment Outages: Exploration of Airport Performance. — Jasenka Rakas, Huifang Yin, and Mark Hansen; 131(10), 790-801 (2005).

Alabama

Spatial and Temporal Variations in Axle Load Spectra and Impacts on Pavement Design. — Rod E. Turochy, S. Michelle Baker, and David H. Timm; 131(10), 802-8 (2005).

Algorithms

Transferability of Expressway Incident Detection Algorithms to Singapore and Melbourne. — Chin Long Mak and Henry S. L. Fan; 131(2), 101-11 (2005).

Hierarchical Bayesian Estimation of Safety Performance Functions for Two-Lane Highways Using Markov Chain Monte Carlo Modeling. — Xiao Qin, John N. Ivan, Nalini Ravishanker, and Junfeng Liu; 131(5), 345-51 (2005).

Multiobjective Vehicle Routing and Scheduling Problem with Time Window Constraints in Hazardous Material Transportation. — Qiang Meng, Der-Horng Lee, and Ruey Long Cheu; 131(9), 699-707 (2005).

Alignment

Modeling Driver Visual Demand on Complex Horizontal Alignments. — Said Easa and Chandi Ganguly; 131(8), 583-90 (2005).

Asphalt cement

Analysis of Emulsion and Hot Asphalt Cement Chip Seal Performance. — Douglas D. Gransberg and Musharraf Zaman; 131(3), 229-38 (2005).

Asphalt mixes

Determining Layer Contributions to Rutting by Surface Profile Analysis. — John E. Haddock, Adam J. T. Hand, Hongbing Fang, and Thomas D. White; 131(2), 131-9 (2005).

Fatigue Characteristics of Superpave and Hveem Mixtures. — Elie Y. Hajj, Peter E. Sebaaly, and Dean Weitzel; 131(4), 302-10 (2005).

Why Different Fatigue Lives? Answer Is in the Tomograms. — S. Figen Kalyoncuoglu; 131(10), 725-31 (2005).

Asphalt pavements

Performance-Based Models for Flexible Pavement Structural Overlay Design. — Khaled A. Abaza; 131(2), 149-59 (2005).

Analysis of Emulsion and Hot Asphalt Cement Chip Seal Performance. — Douglas D. Gransberg and Musharraf Zaman; 131(3), 229-38 (2005).

Fatigue Characteristics of Superpave and Hveem Mixtures. — Elie Y. Hajj, Peter E. Sebaaly, and Dean Weitzel; 131(4), 302-10 (2005).

Changes in Asphalt Pavement Friction Components and Adjustment of Skid Number for Temperature. — Subhi M. Bazlamit and Farhad Reza; 131(6), 470-6 (2005).

Effects of Nonuniform Tire Contact Stresses on Pavement Response. — Dae-Wook Park, Amy Epps Martin, and Eyad Masad; 131(11), 873-9 (2005).

Effect of Bond Condition on Flexible Pavement Performance. — Mariana R. Kruntcheva, Andrew C. Collop, and Nicholas H. Thom; 131(11), 880-8 (2005).

Asphalts

Asphalt Overlay and Subsurface Drainage of Broken and Seated Concrete Pavement. — Kamyar C. Mahboub, Yinhui Liu, and David L. Allen; 131(8), 617-22 (2005).

Assessment

Guidelines for Performance Assessment of Digital Imaging Systems Used in Highway Applications. — A. Mraz, M. Gunaratne, and A. Nazef; 131(6), 429-43 (2005).

Australia

Transferability of Expressway Incident Detection Algorithms to Singapore and Melbourne. — Chin Long Mak and Henry S. L. Fan; 131(2), 101-11 (2005).

Automatic identification systems

Population Origin–Destination Estimation Using Automatic Vehicle Identification and Volume Data. — Michael P. Dixon and L. R. Rilett; 131(2), 75-82 (2005).

Repeatability in Crack Data Collection on Flexible Pavements: Comparison between Surveys Using Video Cameras, Laser Cameras, and a Simplified Manual Survey. — Petra Offrell, Leif Sjögren, and Rolf Magnusson; 131(7), 552-62 (2005).

Automation

Practical, Interactive, and Object-Oriented Machine Vision for Highway Crack Sealing. — Xin Feng, Rene Mathurin, and Steven A. Velinsky; 131(6), 451-9 (2005).

Barriers

Crash Reconstruction Technique for Longitudinal Barriers. — Brian A. Coon and John D. Reid; 131(1), 54-62 (2005).

Performance of Guardrail Systems Encased in Pavement Mow Strips. — Nathaniel R. Seckinger, Akram Abu-Odeh, Roger P. Bligh, and Paul N. Roschke; 131(11), 851-60 (2005).

Bayesian analysis

Real-Time Estimation of Accident Likelihood for Safety Enhancement. — Jun-Seok Oh, Cheol Oh, Stephen G. Ritchie, and Myungsoon Chang; 131(5), 358-63 (2005).

Automated Road Segmentation Using a Bayesian Algorithm. — Fridtjof Thomas; 131(8), 591-8 (2005).

Bicycles

New Method to Assess Ride Safety on Uneven Element Pavements. — Maurizio Crispino, Alessandro Tasora, and Emmanuele Vaghi; 131(1), 27-36 (2005).

Bonding

Effect of Bond Condition on Flexible Pavement Performance. — Mariana R. Kruntcheva, Andrew C. Collop, and Nicholas H. Thom; 131(11), 880-8 (2005).

Buckling

Installation Load Consideration in Ultra-Deepwater Pipeline Sizing. — M. Kashani and R. Young; 131(8), 632-9 (2005).

Buried pipes
Field Performance of High Density Polyethylene Culvert Pipe. — S. L. Gassman, A. J. Schroeder, and R. P. Ray; 131(2), 160-7 (2005).

Buses
Influence of Bus Stops on Flow Characteristics of Mixed Traffic. — Reebu Zachariah Koshy and V. Thamizh Arasan; 131(8), 640-3 (2005).
Feeder Bus Routes Generation within Integrated Mass Transit Planning Framework. — Ashish Verma and S. L. Dhingra; 131(11), 822-34 (2005).

Calibration
Video-Capture-Based Approach to Extract Multiple Vehicular Trajectory Data for Traffic Modeling. — Heng Wei, Chuen Feng, Eric Meyer, and Joe Lee; 131(7), 496-505 (2005).

California
Characterizing Effective Built-In Curling from Concrete Pavement Field Measurements. — Shreenath Rao and Jeffery R. Roesler; 131(4), 320-7 (2005).
Hierarchical Bayesian Estimation of Safety Performance Functions for Two-Lane Highways Using Markov Chain Monte Carlo Modeling. — Xiao Qin, John N. Ivan, Nalini Ravishanker, and Junfeng Liu; 131(5), 345-51 (2005).
Assessment of Construction Smoothness Specification Pay Factor Limits Using Artificial Neural Network Modeling. — Shao-Fan Chou and Terhi K. Pellinen; 131(7), 563-70 (2005).
Determination of Critical Concrete Pavement Fatigue Damage Locations Using Influence Lines. — Jacob E. Hiller and Jeffery R. Roesler; 131(8), 599-607 (2005).
Planning Urban Highway Reconstruction with Traffic Demand Affected by Construction Schedule. — Eul-Bum Lee, David Thomas, and Loren Bloomberg; 131(10), 752-61 (2005).

Capacity
Procedural and Operational Consequences of Navigational Equipment Outages: Exploration of Airport Performance. — Jasenka Rakas, Huifang Yin, and Mark Hansen; 131(10), 790-801 (2005).

Chile
Producing a Free–Flow Model for the First Chilean Freeway Using *Highway Capacity Manual 2000*. — Guillermo Thenoux and Soledad Lastra; 131(12), 961-2 (2005).

Collapse
Installation Load Consideration in Ultra-Deepwater Pipeline Sizing. — M. Kashani and R. Young; 131(8), 632-9 (2005).

Columbia
Validation of HCM Pedestrian Delay Model for Interrupted Facilities. — Venkat Chilukuri and Mark R. Virkler; 131(12), 939-45 (2005).

Comparative studies
Crash Comparison of Single Point and Tight Diamond Interchanges. — Joe Bared, Alvin Powell, Evangelos Kaisar, and Ramanujan Jagannathan; 131(5), 379-81 (2005).

Concrete blocks
Structural Behavior of Cast In Situ Concrete Block Pavement. — Teiborlang L. Ryntathiang, M. Mazumdar, and B. B. Pandey; 131(9), 662-8 (2005).

Concrete pavements
Environmental Effects on the Behavior of Jointed Plain Concrete Pavements. — Jin-Hoon Jeong and Dan G. Zollinger; 131(2), 140-8 (2005).
Characterizing Effective Built-In Curling from Concrete Pavement Field Measurements. — Shreenath Rao and Jeffery R. Roesler; 131(4), 320-7 (2005).
Determination of Critical Concrete Pavement Fatigue Damage Locations Using Influence Lines. — Jacob E. Hiller and Jeffery R. Roesler; 131(8), 599-607 (2005).
Crack Width Measurements in Continuously Reinforced Concrete Pavements. — Erwin R. Kohler and Jeffery R. Roesler; 131(9), 645-52 (2005).
Structural Behavior of Cast In Situ Concrete Block Pavement. — Teiborlang L. Ryntathiang, M. Mazumdar, and B. B. Pandey; 131(9), 662-8 (2005).
Planning Urban Highway Reconstruction with Traffic Demand Affected by Construction Schedule. — Eul-Bum Lee, David Thomas, and Loren Bloomberg; 131(10), 752-61 (2005).

Concrete slabs
Crack Width Measurements in Continuously Reinforced Concrete Pavements. — Erwin R. Kohler and Jeffery R. Roesler; 131(9), 645-52 (2005).

Contact pressure
Effects of Nonuniform Tire Contact Stresses on Pavement Response. — Dae-Wook Park, Amy Epps Martin, and Eyad Masad; 131(11), 873-9 (2005).

Continuity equation
Exploring Trampling and Crushing in a Crowd. — Ris S. C. Lee and Roger L. Hughes; 131(8), 575-82 (2005).

Contractors
Assessment of Construction Smoothness Specification Pay Factor Limits Using Artificial Neural Network Modeling. — Shao-Fan Chou and Terhi K. Pellinen; 131(7), 563-70 (2005).

Cost control
Life-Cycle Evaluation of Flexible Pavement Preventive Maintenance. — Samuel Labi and Kumares C. Sinha; 131(10), 744-51 (2005).

Cost estimates
Costs of Right-of-Way Acquisition: Methods and Models for Estimation. — Jared D. Heiner and Kara M. Kockelman; 131(3), 193-204 (2005).

Costs
Work Zone Lengths for a Four-Lane Road with an Alternate Route. — Chun-Hung Chen and Paul Schonfeld; 131(10), 780-9 (2005).

Coverings
Asphalt Overlay and Subsurface Drainage of Broken and Seated Concrete Pavement. — Kamyar C. Mahboub, Yinhui Liu, and David L. Allen; 131(8), 617-22 (2005).

Crack propagation
Modeling of Strain Energy Absorbers for Rehabilitated Cracked Flexible Pavements. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(9), 653-61 (2005).

Cracking
Effectiveness of Steel Reinforcing Nettings in Combating Fatigue Cracking in New Flexible Pavement Systems. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(1), 37-45 (2005).
Practical, Interactive, and Object-Oriented Machine Vision for Highway Crack Sealing. — Xin Feng, Rene Mathurin, and Steven A. Velinsky; 131(6), 451-9 (2005).
Repeatability in Crack Data Collection on Flexible Pavements: Comparison between Surveys Using Video Cameras, Laser Cameras, and a Simplified Manual Survey. — Petra Offrell, Leif Sjögren, and Rolf Magnusson; 131(7), 552-62 (2005).
Survival Analysis of Fatigue Cracking for Flexible Pavements Based on Long-Term Pavement Performance Data. — Yuhong Wang, Kamyar C. Mahboub, and Donn E. Hancher; 131(8), 608-16 (2005).
Crack Width Measurements in Continuously Reinforced Concrete Pavements. — Erwin R. Kohler and Jeffery R. Roesler; 131(9), 645-52 (2005).
Modeling of Strain Energy Absorbers for Rehabilitated Cracked Flexible Pavements. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(9), 653-61 (2005).
Use of Recurrent Markov Chains for Modeling the Crack Performance of Flexible Pavements. — Jidong Yang, Manjriker Gunaratne, Jian John Lu, and Bruce Dietrich; 131(11), 861-72 (2005).

Creep
Environmental Effects on the Behavior of Jointed Plain Concrete Pavements. — Jin-Hoon Jeong and Dan G. Zollinger; 131(2), 140-8 (2005).

Culverts
Field Performance of High Density Polyethylene Culvert Pipe. — S. L. Gassman, A. J. Schroeder, and R. P. Ray; 131(2), 160-7 (2005).

Curvature
Low-Speed Horizontal Curve Friction Factors. — J. L. Gattis, B. Finley Vinson, III, and Lynette K. Duncan; 131(2), 112-9 (2005).
Modeling Driver Visual Demand on Complex Horizontal Alignments. — Said Easa and Chandi Ganguly; 131(8), 583-90 (2005).

Damage
Determination of Critical Concrete Pavement Fatigue Damage Locations Using Influence Lines. — Jacob E. Hiller and Jeffery R. Roesler; 131(8), 599-607 (2005).

Data analysis
Count Data Models for Trip Generation. — Tae Youn Jang; 131(6), 444-50 (2005).
Federal Highway Administration Vehicle Classification from Video Data and a Disaggregation Model. — Andrew J. Graettinger, Ramgiridhar R. Kilim, Meghavardhan R. Govindu, Philip W. Johnson, and S. Rocky Durrans; 131(9), 689-98 (2005).

Data collection
Population Origin–Destination Estimation Using Automatic Vehicle Identification and Volume Data. — Michael P. Dixon and L. R. Rilett; 131(2), 75-82 (2005).
Low-Speed Horizontal Curve Friction Factors. — J. L. Gattis, B. Finley Vinson, III, and Lynette K. Duncan; 131(2), 112-9 (2005).
Improved Speed Estimates from Freeway Traffic Detectors. — Manish Jain and Benjamin Coifman; 131(7), 483-95 (2005).
Repeatability in Crack Data Collection on Flexible Pavements: Comparison between Surveys

Using Video Cameras, Laser Cameras, and a Simplified Manual Survey. — Petra Offrell, Leif Sjögren, and Rolf Magnusson; 131(7), 552-62 (2005).

Data processing

Improved Speed Estimates from Freeway Traffic Detectors. — Manish Jain and Benjamin Coifman; 131(7), 483-95 (2005).

Video-Capture-Based Approach to Extract Multiple Vehicular Trajectory Data for Traffic Modeling. — Heng Wei, Chuen Feng, Eric Meyer, and Joe Lee; 131(7), 496-505 (2005).

Multiple Imputation Scheme for Overcoming the Missing Values and Variability Issues in ITS Data. — Daiheng Ni, John D. Leonard, II, Angshuman Guin, and Chunxia Feng; 131(12), 931-8 (2005).

Decision making

HDM-4 Pavement Deterioration Models for Indian National Highway Network. — S. S. Jain, Sanjiv Aggarwal, and M. Parida; 131(8), 623-31 (2005).

Decision support systems

Development of Decision-Support System for Managing Highway Safety. — Athanasios P. Chassiakos, Christina Panagolia, and Dimitrios D. Theodorakopoulos; 131(5), 364-73 (2005).

Deep water

Installation Load Consideration in Ultra-Deepwater Pipeline Sizing. — M. Kashani and R. Young; 131(8), 632-9 (2005).

Deflection

Improvements to G4(RW) Strong-Post Round-Wood, W-Beam Guardrail System. — Ali O. Atahan and Ömer F. Cansiz; 131(1), 63-73 (2005).

Deformation

Effects of Nonuniform Tire Contact Stresses on Pavement Response. — Dae-Wook Park, Amy Epps Martin, and Eyad Masad; 131(11), 873-9 (2005).

Delay time

Modeling the Large Scale Disruptions of an Airline Network. — Milan Janić; 131(4), 249-60 (2005).

Comparative Analysis of Travel Impacts between the Design-Build and Traditional Building Methods. — Aleksandar Z. Stevanovic, Peter T. Martin, and Rodrigo Disegni; 131(9), 708-16 (2005).

Development of an Improved Cycle Length Model over the *Highway Capacity Manual 2000* Quick Estimation Method. — DingXin Cheng, Zong Z. Tian, and Carroll J. Messer; 131(12), 890-7 (2005).

Comparison of Control Delays from *CORSIM* and the*Highway Capacity Manual* for Oversaturated Signalized Intersections. — Sang-Ock Kim and R. F. Benekohal; 131(12), 917-23 (2005).

Design

Transit Network Design with Variable Demand. — Young-Jae Lee and Vukan R. Vuchic; 131(1), 1-10 (2005).

Design/build

Comparative Analysis of Travel Impacts between the Design-Build and Traditional Building Methods. — Aleksandar Z. Stevanovic, Peter T. Martin, and Rodrigo Disegni; 131(9), 708-16 (2005).

Digital techniques

Guidelines for Performance Assessment of Digital Imaging Systems Used in Highway Applications. — A. Mraz, M. Gunaratne, and A. Nazef; 131(6), 429-43 (2005).

Driver behavior

Effect of On-Ramp Geometric and Operational Factors on Vehicle Activity. — Paul R. Lederer, Louis F. Cohn, Randall Guensler, and Roswell A. Harris; 131(1), 18-26 (2005).

Evaluation of Traffic Signal Displays for Protected-Permissive Left-Turn Control Using Driving Simulator Technology. — Michael A. Knodler, Jr., David A. Noyce, Kent C. Kacir, and Christopher L. Brehmer; 131(4), 270-8 (2005).

Modeling Driver Visual Demand on Complex Horizontal Alignments. — Said Easa and Chandi Ganguly; 131(8), 583-90 (2005).

Track Behavior in Curve Areas: Attempt at Typology. — Peter Spacek; 131(9), 669-76 (2005).

Dynamic analysis

Three-Dimensional Dynamic Analysis of Flexible Conventional Pavement Foundation. — Bassam Saad, Hani Mitri, and Hormoz Poorooshasb; 131(6), 460-9 (2005).

Earthmoving

New Approaches for the Earth Distribution Method. — Kemal Selçuk Ögüt; 131(4), 294-301 (2005).

Earthwork

New Approaches for the Earth Distribution Method. — Kemal Selçuk Ögüt; 131(4), 294-301 (2005).

Elastic analysis

Structural Behavior of Cast In Situ Concrete Block Pavement. — Teiborlang L. Ryntathiang, M. Mazumdar, and B. B. Pandey; 131(9), 662-8 (2005).

Elastoplasticity

Three-Dimensional Dynamic Analysis of Flexible Conventional Pavement Foundation. — Bassam Saad, Hani Mitri, and Hormoz Poorooshasb; 131(6), 460-9 (2005).

Emission

Modeling Vehicle Emissions in Hot-Stabilized Conditions Using a Simultaneous Equations Model. — Hualiang (Harry) Teng, Yi (Grace) Qi, Joon H. Byun, Yuko Nakanishi, and David E. James; 131(10), 762-70 (2005).

Emissions

Effect of On-Ramp Geometric and Operational Factors on Vehicle Activity. — Paul R. Lederer, Louis F. Cohn, Randall Guensler, and Roswell A. Harris; 131(1), 18-26 (2005).

Comparative Analysis of Travel Impacts between the Design-Build and Traditional Building Methods. — Aleksandar Z. Stevanovic, Peter T. Martin, and Rodrigo Disegni; 131(9), 708-16 (2005).

Empirical equations

Empirical Study of Traffic Features at a Freeway Lane Drop. — Robert L. Bertini and Monica T. Leal; 131(6), 397-407 (2005).

Emulsions

Analysis of Emulsion and Hot Asphalt Cement Chip Seal Performance. — Douglas D. Gransberg and Musharraf Zaman; 131(3), 229-38 (2005).

Energy dissipation

Improvements to G4(RW) Strong-Post Round-Wood, W-Beam Guardrail System. — Ali O. Atahan and Ömer F. Cansiz; 131(1), 63-73 (2005).

Engineering profession

The Road Ahead. — Ezra Hauer; 131(5), 333-9 (2005).

Entropy

Multiobjective Entropy Transportation Model with Trapezoidal Fuzzy Number Penalties, Sources, and Destinations. — Bablu Samanta and Tapan Kumar Roy; 131(6), 419-28 (2005).

Environmental impacts

Environmental Effects on the Behavior of Jointed Plain Concrete Pavements. — Jin-Hoon Jeong and Dan G. Zollinger; 131(2), 140-8 (2005).

Equipment

Procedural and Operational Consequences of Navigational Equipment Outages: Exploration of Airport Performance. — Jasenka Rakas, Huifang Yin, and Mark Hansen; 131(10), 790-801 (2005).

Errors

Traffic Counting Location and Error Bound in Origin-Destination Matrix Estimation Problems. — Liping Gan, Hai Yang, and Sze Chun Wong; 131(7), 524-34 (2005).

Estimation

Traffic Counting Location and Error Bound in Origin-Destination Matrix Estimation Problems. — Liping Gan, Hai Yang, and Sze Chun Wong; 131(7), 524-34 (2005).

Europe

New Method to Assess Ride Safety on Uneven Element Pavements. — Maurizio Crispino, Alessandro Tasora, and Emmanuele Vaghi; 131(1), 27-36 (2005).

Fast track construction

Comparative Analysis of Travel Impacts between the Design-Build and Traditional Building Methods. — Aleksandar Z. Stevanovic, Peter T. Martin, and Rodrigo Disegni; 131(9), 708-16 (2005).

Planning Urban Highway Reconstruction with Traffic Demand Affected by Construction Schedule. — Eul-Bum Lee, David Thomas, and Loren Bloomberg; 131(10), 752-61 (2005).

Fatigue

Effectiveness of Steel Reinforcing Nettings in Combating Fatigue Cracking in New Flexible Pavement Systems. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(1), 37-45 (2005).

Determination of Critical Concrete Pavement Fatigue Damage Locations Using Influence Lines. — Jacob E. Hiller and Jeffery R. Roesler; 131(8), 599-607 (2005).

Fatigue life

Survival Analysis of Fatigue Cracking for Flexible Pavements Based on Long-Term Pavement Performance Data. — Yuhong Wang, Kamyar C. Mahboub, and Donn E. Hancher; 131(8), 608-16 (2005).

Why Different Fatigue Lives? Answer Is in the Tomograms. — S. Figen Kalyoncuoglu; 131(10), 725-31 (2005).

Fatigue strength

Fatigue Characteristics of Superpave and Hveem Mixtures. — Elie Y. Hajj, Peter E. Sebaaly, and Dean Weitzel; 131(4), 302-10 (2005).

Fatigue tests
Why Different Fatigue Lives? Answer Is in the Tomograms. — S. Figen Kalyoncuoglu; 131(10), 725-31 (2005).

Field investigations
Impact of Sign Orientation on On-Premise Commercial Signs. — Abdulilah Z. Zineddin, Philip M. Garvey, and Martin T. Pietrucha; 131(1), 11-7 (2005).

Financial management
Is There a Future for the Federal Surface Transportation Program? — Thomas M. Downs; 131(6), 393-6 (2005).

Finite element method
Improvements to G4(RW) Strong-Post Round-Wood, W-Beam Guardrail System. — Ali O. Atahan and Ömer F. Cansiz; 131(1), 63-73 (2005).
Three-Dimensional Dynamic Analysis of Flexible Conventional Pavement Foundation. — Bassam Saad, Hani Mitri, and Hormoz Poorooshasb; 131(6), 460-9 (2005).
Unified Design Method for Most No-Dig Rehabilitation Liners. — Jey K. Jeyapalan; 131(9), 717-21 (2005).
Effects of Supersingle Tire Loadings on Pavements. — Daehyeon Kim, Rodrigo Salgado, and Adolph G. Altschaeffl; 131(10), 732-43 (2005).

Finite elements
Effectiveness of Steel Reinforcing Nettings in Combating Fatigue Cracking in New Flexible Pavement Systems. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(1), 37-45 (2005).
Modeling of Strain Energy Absorbers for Rehabilitated Cracked Flexible Pavements. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(9), 653-61 (2005).
Effects of Nonuniform Tire Contact Stresses on Pavement Response. — Dae-Wook Park, Amy Epps Martin, and Eyad Masad; 131(11), 873-9 (2005).
Effect of Bond Condition on Flexible Pavement Performance. — Mariana R. Kruntcheva, Andrew C. Collop, and Nicholas H. Thom; 131(11), 880-8 (2005).

Flexible pavements
Effectiveness of Steel Reinforcing Nettings in Combating Fatigue Cracking in New Flexible Pavement Systems. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(1), 37-45 (2005).
Determining Layer Contributions to Rutting by Surface Profile Analysis. — John E. Haddock, Adam J. T. Hand, Hongbing Fang, and Thomas D. White; 131(2), 131-9 (2005).
Performance-Based Models for Flexible Pavement Structural Overlay Design. — Khaled A. Abaza; 131(2), 149-59 (2005).
Heavy Off-Road Vehicle Tire-Pavement Interactions and Response. — Raj V. Siddharthan, Peter E. Sebaaly, Magdy El-Desouky, Dan Strand, and David Huft; 131(3), 239-47 (2005).
Three-Dimensional Dynamic Analysis of Flexible Conventional Pavement Foundation. — Bassam Saad, Hani Mitri, and Hormoz Poorooshasb; 131(6), 460-9 (2005).
Repeatability in Crack Data Collection on Flexible Pavements: Comparison between Surveys Using Video Cameras, Laser Cameras, and a Simplified Manual Survey. — Petra Offrell, Leif Sjögren, and Rolf Magnusson; 131(7), 552-62 (2005).
Survival Analysis of Fatigue Cracking for Flexible Pavements Based on Long-Term Pavement Performance Data. — Yuhong Wang, Kamyar C. Mahboub, and Donn E. Hancher; 131(8), 608-16 (2005).
Modeling of Strain Energy Absorbers for Rehabilitated Cracked Flexible Pavements. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(9), 653-61 (2005).
Life-Cycle Evaluation of Flexible Pavement Preventive Maintenance. — Samuel Labi and Kumares C. Sinha; 131(10), 744-51 (2005).
Effect of Bond Condition on Flexible Pavement Performance. — Mariana R. Kruntcheva, Andrew C. Collop, and Nicholas H. Thom; 131(11), 880-8 (2005).

Flexible pipes
Field Performance of High Density Polyethylene Culvert Pipe. — S. L. Gassman, A. J. Schroeder, and R. P. Ray; 131(2), 160-7 (2005).

Flow rates
Calibration of Capacity Parameters for Signalized Intersections in Indiana. — Rafael I. Perez-Cartagena and Andrew P. Tarko; 131(12), 904-11 (2005).
Saturation Flow Rates and Maximum Critical Lane Volumes for Planning Applications in Maryland. — Jenish Joseph and Gang-Len Chang; 131(12), 946-52 (2005).

Forecasting
Dynamic Wavelet Neural Network Model for Traffic Flow Forecasting. — Xiaomo Jiang and Hojjat Adeli; 131(10), 771-9 (2005).

Forensic engineering
Determining Layer Contributions to Rutting by Surface Profile Analysis. — John E. Haddock, Adam J. T. Hand, Hongbing Fang, and Thomas D. White; 131(2), 131-9 (2005).

Foundations
Three-Dimensional Dynamic Analysis of Flexible Conventional Pavement Foundation. — Bassam Saad, Hani Mitri, and Hormoz Poorooshasb; 131(6), 460-9 (2005).

Friction
Changes in Asphalt Pavement Friction Components and Adjustment of Skid Number for Temperature. — Subhi M. Bazlamit and Farhad Reza; 131(6), 470-6 (2005).
Theoretical Analysis for Horizontal Curves Based on Actual Discomfort Speed. — Faisal Awadallah; 131(11), 843-50 (2005).

Friction coefficient
Prediction of Road Surface Friction Coefficient Using Only Macro- and Microtexture Measurements. — Murat Ergun, Sukriye Iyinam, and A. Faik Iyinam; 131(4), 311-9 (2005).

Friction factor
Low-Speed Horizontal Curve Friction Factors. — J. L. Gattis, B. Finley Vinson, III, and Lynette K. Duncan; 131(2), 112-9 (2005).

Fuel consumption
Vehicle Speed Profiles to Minimize Work and Fuel Consumption. — David J. Chang and Edward K. Morlok; 131(3), 173-82 (2005).

Fuzzy sets
Multiobjective Entropy Transportation Model with Trapezoidal Fuzzy Number Penalties, Sources, and Destinations. — Bablu Samanta and Tapan Kumar Roy; 131(6), 419-28 (2005).

Geometry
Modified Guidelines for Left-Turn Lane Geometry at Intersections. — Said M. Easa and Muhammad Z. A. Ali; 131(9), 677-88 (2005).

Government policies
A Framework for Assessing Models that Rank Highway-Rail Grade Crossings for Improvement. — Mohammad Qureshi, Sindhu Avalokita, and Naveen Yathapu; 131(5), 352-7 (2005).

Guardrails
Crash Reconstruction Technique for Longitudinal Barriers. — Brian A. Coon and John D. Reid; 131(1), 54-62 (2005).
Improvements to G4(RW) Strong-Post Round-Wood, W-Beam Guardrail System. — Ali O. Atahan and Ömer F. Cansiz; 131(1), 63-73 (2005).
Performance of Guardrail Systems Encased in Pavement Mow Strips. — Nathaniel R. Seckinger, Akram Abu-Odeh, Roger P. Bligh, and Paul N. Roschke; 131(11), 851-60 (2005).

Guidelines
Some Guidelines for Selecting Microsimulation Models for Interchange Traffic Operational Analysis. — Fang Clara Fang and Lily Elefteriadou; 131(7), 535-43 (2005).

Handicapped persons
Street Crossing by Sighted and Blind Pedestrians at a Modern Roundabout. — Daniel H. Ashmead, David Guth, Robert S. Wall, Richard G. Long, and Paul E. Ponchillia; 131(11), 812-21 (2005).

Hazardous materials
Multiobjective Vehicle Routing and Scheduling Problem with Time Window Constraints in Hazardous Material Transportation. — Qiang Meng, Der-Horng Lee, and Ruey Long Cheu; 131(9), 699-707 (2005).

Heterogeneity
Count Data Models for Trip Generation. — Tae Youn Jang; 131(6), 444-50 (2005).

Highway construction
Assessment of Construction Smoothness Specification Pay Factor Limits Using Artificial Neural Network Modeling. — Shao-Fan Chou and Terhi K. Pellinen; 131(7), 563-70 (2005).
Comparative Analysis of Travel Impacts between the Design-Build and Traditional Building Methods. — Aleksandar Z. Stevanovic, Peter T. Martin, and Rodrigo Disegni; 131(9), 708-16 (2005).
Planning Urban Highway Reconstruction with Traffic Demand Affected by Construction Schedule. — Eul-Bum Lee, David Thomas, and Loren Bloomberg; 131(10), 752-61 (2005).
Work Zone Lengths for a Four-Lane Road with an Alternate Route. — Chun-Hung Chen and Paul Schonfeld; 131(10), 780-9 (2005).
Producing a Free–Flow Model for the First Chilean Freeway Using *Highway Capacity Manual 2000*. — Guillermo Thenoux and Soledad Lastra; 131(12), 961-2 (2005).

Highway design
Context-Sensitive Design: Issues with Design Elements. — Nikiforos Stamatiadis; 131(5), 374-8 (2005).
Modeling Driver Visual Demand on Complex Horizontal Alignments. — Said Easa and Chandi Ganguly; 131(8), 583-90 (2005).
Track Behavior in Curve Areas: Attempt at Typology. — Peter Spacek; 131(9), 669-76 (2005).
Modified Guidelines for Left-Turn Lane Geometry at Intersections. — Said M. Easa and Muhammad Z. A. Ali; 131(9), 677-88 (2005).
Offsetting Opposing Left-Turn Lanes for Intersections on Horizontal Curves. — Said M. Easa, Muhammad Z. A. Ali, and Essam Dabbour; 131(11), 835-42 (2005).

Highway engineering
Impact of Sign Orientation on On-Premise Commercial Signs. — Abdulilah Z. Zineddin, Philip M. Garvey, and Martin T. Pietrucha; 131(1), 11-7 (2005).

Highway maintenance
Development of Decision-Support System for Managing Highway Safety. — Athanasios P. Chassiakos, Christina Panagolia, and Dimitrios D. Theodorakopoulos; 131(5), 364-73 (2005).
Automated Road Segmentation Using a Bayesian Algorithm. — Fridtjof Thomas; 131(8), 591-8 (2005).
Life-Cycle Evaluation of Flexible Pavement Preventive Maintenance. — Samuel Labi and Kumares C. Sinha; 131(10), 744-51 (2005).
Performance of Guardrail Systems Encased in Pavement Mow Strips. — Nathaniel R. Seckinger, Akram Abu-Odeh, Roger P. Bligh, and Paul N. Roschke; 131(11), 851-60 (2005).

Highway management
Guidelines for Performance Assessment of Digital Imaging Systems Used in Highway Applications. — A. Mraz, M. Gunaratne, and A. Nazef; 131(6), 429-43 (2005).
Methodology for Modeling Highly Heterogeneous Traffic Flow. — V. Thamizh Arasan and Reebu Zachariah Koshy; 131(7), 544-51 (2005).
HDM-4 Pavement Deterioration Models for Indian National Highway Network. — S. S. Jain, Sanjiv Aggarwal, and M. Parida; 131(8), 623-31 (2005).

Highway safety
Crash Reconstruction Technique for Longitudinal Barriers. — Brian A. Coon and John D. Reid; 131(1), 54-62 (2005).
Prediction of Road Surface Friction Coefficient Using Only Macro- and Microtexture Measurements. — Murat Ergun, Sukriye Iyinam, and A. Faik Iyinam; 131(4), 311-9 (2005).
Road Safety: Discussion of State of Practice. — Gary S. Spring; 131(5), 329-32 (2005).
The Road Ahead. — Ezra Hauer; 131(5), 333-9 (2005).
Development of Decision-Support System for Managing Highway Safety. — Athanasios P. Chassiakos, Christina Panagolia, and Dimitrios D. Theodorakopoulos; 131(5), 364-73 (2005).
Modeling Driver Visual Demand on Complex Horizontal Alignments. — Said Easa and Chandi Ganguly; 131(8), 583-90 (2005).

Highway taxation
Is There a Future for the Federal Surface Transportation Program? — Thomas M. Downs; 131(6), 393-6 (2005).

Highway transportation
Vehicle Speed Profiles to Minimize Work and Fuel Consumption. — David J. Chang and Edward K. Morlok; 131(3), 173-82 (2005).
Is There a Future for the Federal Surface Transportation Program? — Thomas M. Downs; 131(6), 393-6 (2005).

Highways
Wavelet Analysis and Interpretation of Road Roughness. — Liu Wei, T. F. Fwa, and Zhao Zhe; 131(2), 120-30 (2005).
Costs of Right-of-Way Acquisition: Methods and Models for Estimation. — Jared D. Heiner and Kara M. Kockelman; 131(3), 193-204 (2005).
Modeling the Effect of Heavy Vehicles on Sign Occlusion at Multilane Highways. — Ahmed Al-Kaisy, Jigar Bhatt, and Hesham Rakha; 131(3), 219-28 (2005).
Hierarchical Bayesian Estimation of Safety Performance Functions for Two-Lane Highways Using Markov Chain Monte Carlo Modeling. — Xiao Qin, John N. Ivan, Nalini Ravishanker, and Junfeng Liu; 131(5), 345-51 (2005).
Dynamic Wavelet Neural Network Model for Traffic Flow Forecasting. — Xiaomo Jiang and Hojjat Adeli; 131(10), 771-9 (2005).

Homogeneity
Automated Road Segmentation Using a Bayesian Algorithm. — Fridtjof Thomas; 131(8), 591-8 (2005).

Hong Kong
New Level-of-Service Standard for Signalized Crosswalks with Bi-Directional Pedestrian Flows. — Jodie Y. S. Lee, P. K. Goh, and William H. K. Lam; 131(12), 957-60 (2005).

Human factors
Impact of Sign Orientation on On-Premise Commercial Signs. — Abdulilah Z. Zineddin, Philip M. Garvey, and Martin T. Pietrucha; 131(1), 11-7 (2005).

Hysteresis
Changes in Asphalt Pavement Friction Components and Adjustment of Skid Number for Temperature. — Subhi M. Bazlamit and Farhad Reza; 131(6), 470-6 (2005).

Image analysis
Repeatability in Crack Data Collection on Flexible Pavements: Comparison between Surveys Using Video Cameras, Laser Cameras, and a Simplified Manual Survey. — Petra Offrell, Leif Sjögren, and Rolf Magnusson; 131(7), 552-62 (2005).

Imaging techniques
Guidelines for Performance Assessment of Digital Imaging Systems Used in Highway Applications. — A. Mraz, M. Gunaratne, and A. Nazef; 131(6), 429-43 (2005).

India
HDM-4 Pavement Deterioration Models for Indian National Highway Network. — S. S. Jain, Sanjiv Aggarwal, and M. Parida; 131(8), 623-31 (2005).
Feeder Bus Routes Generation within Integrated Mass Transit Planning Framework. — Ashish Verma and S. L. Dhingra; 131(11), 822-34 (2005).

Indiana
Calibration of Capacity Parameters for Signalized Intersections in Indiana. — Rafael I. Perez-Cartagena and Andrew P. Tarko; 131(12), 904-11 (2005).

Infiltration
Impact of Unsaturated Flow on Pavement Edge-drain Performance. — John C. Stormont and Shenxiong Zhou; 131(1), 46-53 (2005).

Information retrieval
Fishing for Safety Information in Murky Waters. — Ezra Hauer; 131(5), 340-4 (2005).

Infrastructure
Costs of Right-of-Way Acquisition: Methods and Models for Estimation. — Jared D. Heiner and Kara M. Kockelman; 131(3), 193-204 (2005).

Installation
Field Performance of High Density Polyethylene Culvert Pipe. — S. L. Gassman, A. J. Schroeder, and R. P. Ray; 131(2), 160-7 (2005).
Installation Load Consideration in Ultra-Deepwater Pipeline Sizing. — M. Kashani and R. Young; 131(8), 632-9 (2005).

Integrated systems
Feeder Bus Routes Generation within Integrated Mass Transit Planning Framework. — Ashish Verma and S. L. Dhingra; 131(11), 822-34 (2005).

Intelligent transportation systems
Quasidynamic Network Assignment Procedure with Transient Demand Matrices. — T. Tsekeris and A. Stathopoulos; 131(2), 89-100 (2005).
Transferability of Expressway Incident Detection Algorithms to Singapore and Melbourne. — Chin Long Mak and Henry S. L. Fan; 131(2), 101-11 (2005).
Active Warning Systems: Synthesis. — Virginia P. Sisiopiku and John R. Elliott; 131(3), 205-10 (2005).
Dynamic Wavelet Neural Network Model for Traffic Flow Forecasting. — Xiaomo Jiang and Hojjat Adeli; 131(10), 771-9 (2005).
Multiple Imputation Scheme for Overcoming the Missing Values and Variability Issues in ITS Data. — Daiheng Ni, John D. Leonard, II, Angshuman Guin, and Chunxia Feng; 131(12), 931-8 (2005).

Interchanges
Crash Comparison of Single Point and Tight Diamond Interchanges. — Joe Bared, Alvin Powell, Evangelos Kaisar, and Ramanujan Jagannathan; 131(5), 379-81 (2005).
Some Guidelines for Selecting Microsimulation Models for Interchange Traffic Operational Analysis. — Fang Clara Fang and Lily Elefteriadou; 131(7), 535-43 (2005).

Interfaces
Effect of Bond Condition on Flexible Pavement Performance. — Mariana R. Kruntcheva, Andrew C. Collop, and Nicholas H. Thom; 131(11), 880-8 (2005).

Intersection
Capacity Models and Parameters for Unsignalized Urban Intersections in Poland. — Janusz Chodur; 131(12), 924-30 (2005).

Intersections
Exploratory Simulation of Pedestrian Crossings at Roundabouts. — Nagui Rouphail, Ron Hughes, and Kosok Chae; 131(3), 211-8 (2005).

Prohibiting Left-Turn Movements at Mid-Block Unsignalized Driveways: Simulation Analysis. — Mashrur Chowdhury, Nichole Derov, Paulin Tan, and Adel Sadek; 131(4), 279-85 (2005).
Modified Guidelines for Left-Turn Lane Geometry at Intersections. — Said M. Easa and Muhammad Z. A. Ali; 131(9), 677-88 (2005).
Street Crossing by Sighted and Blind Pedestrians at a Modern Roundabout. — Daniel H. Ashmead, David Guth, Robert S. Wall, Richard G. Long, and Paul E. Ponchillia; 131(11), 812-21 (2005).
Offsetting Opposing Left-Turn Lanes for Intersections on Horizontal Curves. — Said M. Easa, Muhammad Z. A. Ali, and Essam Dabbour; 131(11), 835-42 (2005).
Development of an Improved Cycle Length Model over the *Highway Capacity Manual 2000* Quick Estimation Method. — DingXin Cheng, Zong Z. Tian, and Carroll J. Messer; 131(12), 890-7 (2005).
Potential Effects of Wet Conditions on Signalized Intersection LOS. — Panos D. Prevedouros and Kerwin Chang; 131(12), 898-903 (2005).
Calibration of Capacity Parameters for Signalized Intersections in Indiana. — Rafael I. Perez-Cartagena and Andrew P. Tarko; 131(12), 904-11 (2005).
Comparison of Control Delays from *CORSIM* and the*Highway Capacity Manual* for Oversaturated Signalized Intersections. — Sang-Ock Kim and R. F. Benekohal; 131(12), 917-23 (2005).
Validation of HCM Pedestrian Delay Model for Interrupted Facilities. — Venkat Chilukuri and Mark R. Virkler; 131(12), 939-45 (2005).
Determining the Capacity of Single-Lane Roundabouts in Izmir, Turkey. — Serhan Tanyel, Türkay Baran, and Mustafa Özuysal; 131(12), 953-6 (2005).

Interstate highways
Effect of On-Ramp Geometric and Operational Factors on Vehicle Activity. — Paul R. Lederer, Louis F. Cohn, Randall Guensler, and Roswell A. Harris; 131(1), 18-26 (2005).
Empirical Study of Traffic Features at a Freeway Lane Drop. — Robert L. Bertini and Monica T. Leal; 131(6), 397-407 (2005).

Investments
Is There a Future for the Federal Surface Transportation Program? — Thomas M. Downs; 131(6), 393-6 (2005).

Kentucky
Effect of On-Ramp Geometric and Operational Factors on Vehicle Activity. — Paul R. Lederer, Louis F. Cohn, Randall Guensler, and Roswell A. Harris; 131(1), 18-26 (2005).

Knowledge-based systems
Development of Decision-Support System for Managing Highway Safety. — Athanasios P. Chassiakos, Christina Panagolia, and Dimitrios D. Theodorakopoulos; 131(5), 364-73 (2005).

Land usage
Costs of Right-of-Way Acquisition: Methods and Models for Estimation. — Jared D. Heiner and Kara M. Kockelman; 131(3), 193-204 (2005).

Left-turns
Evaluation of Traffic Signal Displays for Protected-Permissive Left-Turn Control Using Driving Simulator Technology. — Michael A. Knodler, Jr., David A. Noyce, Kent C. Kacir, and Christopher L. Brehmer; 131(4), 270-8 (2005).
Prohibiting Left-Turn Movements at Mid-Block Unsignalized Driveways: Simulation Analysis. — Mashrur Chowdhury, Nichole Derov, Paulin Tan, and Adel Sadek; 131(4), 279-85 (2005).
Modified Guidelines for Left-Turn Lane Geometry at Intersections. — Said M. Easa and Muhammad Z. A. Ali; 131(9), 677-88 (2005).
Offsetting Opposing Left-Turn Lanes for Intersections on Horizontal Curves. — Said M. Easa, Muhammad Z. A. Ali, and Essam Dabbour; 131(11), 835-42 (2005).
Accuracy of the HCM 2000 Queue Clearance Model: Case of Multiple Approach Lanes with Shared Left Turns and Multiple Opposing Lanes. — Shannon L. Foil and Mohammad A. Qureshi; 131(12), 912-6 (2005).

Life cycle cost
Performance-Based Models for Flexible Pavement Structural Overlay Design. — Khaled A. Abaza; 131(2), 149-59 (2005).

Life cycle costs
Life-Cycle Evaluation of Flexible Pavement Preventive Maintenance. — Samuel Labi and Kumares C. Sinha; 131(10), 744-51 (2005).

Linear programming
Multiobjective Entropy Transportation Model with Trapezoidal Fuzzy Number Penalties, Sources, and Destinations. — Bablu Samanta and Tapan Kumar Roy; 131(6), 419-28 (2005).

Load distribution
Axle Load Spectra Characterization by Mixed Distribution Modeling. — David H. Timm, S. Michelle Tisdale, and Rod E. Turochy; 131(2), 83-8 (2005).
Spatial and Temporal Variations in Axle Load Spectra and Impacts on Pavement Design. — Rod E. Turochy, S. Michelle Baker, and David H. Timm; 131(10), 802-8 (2005).

Load tests
Characterizing Effective Built-In Curling from Concrete Pavement Field Measurements. — Shreenath Rao and Jeffery R. Roesler; 131(4), 320-7 (2005).
Crack Width Measurements in Continuously Reinforced Concrete Pavements. — Erwin R. Kohler and Jeffery R. Roesler; 131(9), 645-52 (2005).

Logistics
Use of Recurrent Markov Chains for Modeling the Crack Performance of Flexible Pavements. — Jidong Yang, Manjriker Gunaratne, Jian John Lu, and Bruce Dietrich; 131(11), 861-72 (2005).

Management methods
A Framework for Assessing Models that Rank Highway-Rail Grade Crossings for Improvement. — Mohammad Qureshi, Sindhu Avalokita, and Naveen Yathapu; 131(5), 352-7 (2005).

Markov chains
Use of Recurrent Markov Chains for Modeling the Crack Performance of Flexible Pavements. — Jidong Yang, Manjriker Gunaratne, Jian John Lu, and Bruce Dietrich; 131(11), 861-72 (2005).

Maryland
Saturation Flow Rates and Maximum Critical Lane Volumes for Planning Applications in Maryland. — Jenish Joseph and Gang-Len Chang; 131(12), 946-52 (2005).

Mathematical models
Exploring Trampling and Crushing in a Crowd. — Ris S. C. Lee and Roger L. Hughes; 131(8), 575-82 (2005).
Modeling Driver Visual Demand on Complex Horizontal Alignments. — Said Easa and Chandi Ganguly; 131(8), 583-90 (2005).
Modeling Vehicle Emissions in Hot-Stabilized Conditions Using a Simultaneous Equations Model. — Hualiang (Harry) Teng, Yi (Grace) Qi, Joon H. Byun, Yuko Nakanishi, and David E. James; 131(10), 762-70 (2005).

Measurement
Prediction of Road Surface Friction Coefficient Using Only Macro- and Microtexture Measurements. — Murat Ergun, Sukriye Iyinam, and A. Faik Iyinam; 131(4), 311-9 (2005).
Characterizing Effective Built-In Curling from Concrete Pavement Field Measurements. — Shreenath Rao and Jeffery R. Roesler; 131(4), 320-7 (2005).
Crack Width Measurements in Continuously Reinforced Concrete Pavements. — Erwin R. Kohler and Jeffery R. Roesler; 131(9), 645-52 (2005).

Michigan
Hierarchical Bayesian Estimation of Safety Performance Functions for Two-Lane Highways Using Markov Chain Monte Carlo Modeling. — Xiao Qin, John N. Ivan, Nalini Ravishanker, and Junfeng Liu; 131(5), 345-51 (2005).

Minnesota
Empirical Study of Traffic Features at a Freeway Lane Drop. — Robert L. Bertini and Monica T. Leal; 131(6), 397-407 (2005).

Mixtures
Fatigue Characteristics of Superpave and Hveem Mixtures. — Elie Y. Hajj, Peter E. Sebaaly, and Dean Weitzel; 131(4), 302-10 (2005).

Mobility
Context-Sensitive Design: Issues with Design Elements. — Nikiforos Stamatiadis; 131(5), 374-8 (2005).

Model accuracy
Accuracy of the HCM 2000 Queue Clearance Model: Case of Multiple Approach Lanes with Shared Left Turns and Multiple Opposing Lanes. — Shannon L. Foil and Mohammad A. Qureshi; 131(12), 912-6 (2005).

Models
HDM-4 Pavement Deterioration Models for Indian National Highway Network. — S. S. Jain, Sanjiv Aggarwal, and M. Parida; 131(8), 623-31 (2005).
Producing a Free–Flow Model for the First Chilean Freeway Using *Highway Capacity Manual 2000*. — Guillermo Thenoux and Soledad Lastra; 131(12), 961-2 (2005).

Moisture
Environmental Effects on the Behavior of Jointed Plain Concrete Pavements. — Jin-Hoon Jeong and Dan G. Zollinger; 131(2), 140-8 (2005).
Multiple objective analysis
Multiobjective Vehicle Routing and Scheduling Problem with Time Window Constraints in Hazardous Material Transportation. — Qiang Meng, Der-Horng Lee, and Ruey Long Cheu; 131(9), 699-707 (2005).
Network design
The Network Signal Design Problem for Long-Range Travel Forecasting. — Alan J. Horowitz and Minnie H. Patel; 131(3), 183-92 (2005).
Networks
Modeling the Large Scale Disruptions of an Airline Network. — Milan Janić; 131(4), 249-60 (2005).
Neural networks
Dynamic Wavelet Neural Network Model for Traffic Flow Forecasting. — Xiaomo Jiang and Hojjat Adeli; 131(10), 771-9 (2005).
Numerical models
Exploring Trampling and Crushing in a Crowd. — Ris S. C. Lee and Roger L. Hughes; 131(8), 575-82 (2005).
Optimization
Vehicle Speed Profiles to Minimize Work and Fuel Consumption. — David J. Chang and Edward K. Morlok; 131(3), 173-82 (2005).
The Network Signal Design Problem for Long-Range Travel Forecasting. — Alan J. Horowitz and Minnie H. Patel; 131(3), 183-92 (2005).
Work Zone Lengths for a Four-Lane Road with an Alternate Route. — Chun-Hung Chen and Paul Schonfeld; 131(10), 780-9 (2005).
Feeder Bus Routes Generation within Integrated Mass Transit Planning Framework. — Ashish Verma and S. L. Dhingra; 131(11), 822-34 (2005).
Parking
Exploration of the Relationships between Operating Speed and Roadway Features on Tangent Sections. — Kay Fitzpatrick, Shaw-Pin Miaou, Marcus Brewer, Paul Carlson, and Mark D. Wooldridge; 131(4), 261-9 (2005).
Pavement condition
New Method to Assess Ride Safety on Uneven Element Pavements. — Maurizio Crispino, Alessandro Tasora, and Emmanuele Vaghi; 131(1), 27-36 (2005).
Guidelines for Performance Assessment of Digital Imaging Systems Used in Highway Applications. — A. Mraz, M. Gunaratne, and A. Nazef; 131(6), 429-43 (2005).
Automated Road Segmentation Using a Bayesian Algorithm. — Fridtjof Thomas; 131(8), 591-8 (2005).
Pavement design
Effectiveness of Steel Reinforcing Nettings in Combating Fatigue Cracking in New Flexible Pavement Systems. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(1), 37-45 (2005).
Determining Layer Contributions to Rutting by Surface Profile Analysis. — John E. Haddock, Adam J. T. Hand, Hongbing Fang, and Thomas D. White; 131(2), 131-9 (2005).
Performance-Based Models for Flexible Pavement Structural Overlay Design. — Khaled A. Abaza; 131(2), 149-59 (2005).
Crack Width Measurements in Continuously Reinforced Concrete Pavements. — Erwin R. Kohler and Jeffery R. Roesler; 131(9), 645-52 (2005).
Structural Behavior of Cast In Situ Concrete Block Pavement. — Teiborlang L. Ryntathiang, M. Mazumdar, and B. B. Pandey; 131(9), 662-8 (2005).
Spatial and Temporal Variations in Axle Load Spectra and Impacts on Pavement Design. — Rod E. Turochy, S. Michelle Baker, and David H. Timm; 131(10), 802-8 (2005).
Pavement deterioration
New Method to Assess Ride Safety on Uneven Element Pavements. — Maurizio Crispino, Alessandro Tasora, and Emmanuele Vaghi; 131(1), 27-36 (2005).
Impact of Unsaturated Flow on Pavement Edgedrain Performance. — John C. Stormont and Shenxiong Zhou; 131(1), 46-53 (2005).
Wavelet Analysis and Interpretation of Road Roughness. — Liu Wei, T. F. Fwa, and Zhao Zhe; 131(2), 120-30 (2005).
Determining Layer Contributions to Rutting by Surface Profile Analysis. — John E. Haddock, Adam J. T. Hand, Hongbing Fang, and Thomas D. White; 131(2), 131-9 (2005).
Practical, Interactive, and Object-Oriented Machine Vision for Highway Crack Sealing. — Xin Feng, Rene Mathurin, and Steven A. Velinsky; 131(6), 451-9 (2005).
HDM-4 Pavement Deterioration Models for Indian National Highway Network. — S. S. Jain, Sanjiv Aggarwal, and M. Parida; 131(8), 623-31 (2005).
Pavement maintenance
Performance-Based Models for Flexible Pavement Structural Overlay Design. — Khaled A. Abaza; 131(2), 149-59 (2005).
Pavement management
Analysis of Emulsion and Hot Asphalt Cement Chip Seal Performance. — Douglas D. Gransberg and Musharraf Zaman; 131(3), 229-38 (2005).
Automated Road Segmentation Using a Bayesian Algorithm. — Fridtjof Thomas; 131(8), 591-8 (2005).
Life-Cycle Evaluation of Flexible Pavement Preventive Maintenance. — Samuel Labi and Kumares C. Sinha; 131(10), 744-51 (2005).
Performance of Guardrail Systems Encased in Pavement Mow Strips. — Nathaniel R. Seckinger, Akram Abu-Odeh, Roger P. Bligh, and Paul N. Roschke; 131(11), 851-60 (2005).
Use of Recurrent Markov Chains for Modeling the Crack Performance of Flexible Pavements. — Jidong Yang, Manjriker Gunaratne, Jian John Lu, and Bruce Dietrich; 131(11), 861-72 (2005).
Pavements
Prediction of Road Surface Friction Coefficient Using Only Macro- and Microtexture Measurements. — Murat Ergun, Sukriye Iyinam, and A. Faik Iyinam; 131(4), 311-9 (2005).
Assessment of Construction Smoothness Specification Pay Factor Limits Using Artificial Neural Network Modeling. — Shao-Fan Chou and Terhi K. Pellinen; 131(7), 563-70 (2005).
Asphalt Overlay and Subsurface Drainage of Broken and Seated Concrete Pavement. — Kamyar C. Mahboub, Yinhui Liu, and David L. Allen; 131(8), 617-22 (2005).
Why Different Fatigue Lives? Answer Is in the Tomograms. — S. Figen Kalyoncuoglu; 131(10), 725-31 (2005).
Effects of Supersingle Tire Loadings on Pavements. — Daehyeon Kim, Rodrigo Salgado, and Adolph G. Altschaeffl; 131(10), 732-43 (2005).
Work Zone Lengths for a Four-Lane Road with an Alternate Route. — Chun-Hung Chen and Paul Schonfeld; 131(10), 780-9 (2005).
Payment
Assessment of Construction Smoothness Specification Pay Factor Limits Using Artificial Neural Network Modeling. — Shao-Fan Chou and Terhi K. Pellinen; 131(7), 563-70 (2005).
Pedestrian safety
Exploratory Simulation of Pedestrian Crossings at Roundabouts. — Nagui Rouphail, Ron Hughes, and Kosok Chae; 131(3), 211-8 (2005).
Pedestrian traffic flow
Exploration of the Relationships between Operating Speed and Roadway Features on Tangent Sections. — Kay Fitzpatrick, Shaw-Pin Miaou, Marcus Brewer, Paul Carlson, and Mark D. Wooldridge; 131(4), 261-9 (2005).
Pedestrians
Exploring Trampling and Crushing in a Crowd. — Ris S. C. Lee and Roger L. Hughes; 131(8), 575-82 (2005).
Street Crossing by Sighted and Blind Pedestrians at a Modern Roundabout. — Daniel H. Ashmead, David Guth, Robert S. Wall, Richard G. Long, and Paul E. Ponchillia; 131(11), 812-21 (2005).
Validation of HCM Pedestrian Delay Model for Interrupted Facilities. — Venkat Chilukuri and Mark R. Virkler; 131(12), 939-45 (2005).
New Level-of-Service Standard for Signalized Crosswalks with Bi-Directional Pedestrian Flows. — Jodie Y. S. Lee, P. K. Goh, and William H. K. Lam; 131(12), 957-60 (2005).
Peer review
Fishing for Safety Information in Murky Waters. — Ezra Hauer; 131(5), 340-4 (2005).
Performance evaluation
Analysis of Emulsion and Hot Asphalt Cement Chip Seal Performance. — Douglas D. Gransberg and Musharraf Zaman; 131(3), 229-38 (2005).
Guidelines for Performance Assessment of Digital Imaging Systems Used in Highway Applications. — A. Mraz, M. Gunaratne, and A. Nazef; 131(6), 429-43 (2005).
Permeability
Asphalt Overlay and Subsurface Drainage of Broken and Seated Concrete Pavement. — Kamyar C. Mahboub, Yinhui Liu, and David L. Allen; 131(8), 617-22 (2005).
Pipelines
Unified Design Method for Most No-Dig Rehabilitation Liners. — Jey K. Jeyapalan; 131(9), 717-21 (2005).
Plasticity
Effects of Supersingle Tire Loadings on Pavements. — Daehyeon Kim, Rodrigo Salgado, and Adolph G. Altschaeffl; 131(10), 732-43 (2005).

Poland
Capacity Models and Parameters for Unsignalized Urban Intersections in Poland. — Janusz Chodur; 131(12), 924-30 (2005).

Polyethylene
Field Performance of High Density Polyethylene Culvert Pipe. — S. L. Gassman, A. J. Schroeder, and R. P. Ray; 131(2), 160-7 (2005).

Predictions
Use of Recurrent Markov Chains for Modeling the Crack Performance of Flexible Pavements. — Jidong Yang, Manjriker Gunaratne, Jian John Lu, and Bruce Dietrich; 131(11), 861-72 (2005).
Calibration of Capacity Parameters for Signalized Intersections in Indiana. — Rafael I. Perez-Cartagena and Andrew P. Tarko; 131(12), 904-11 (2005).

Probability density functions
Real-Time Estimation of Accident Likelihood for Safety Enhancement. — Jun-Seok Oh, Cheol Oh, Stephen G. Ritchie, and Myungsoon Chang; 131(5), 358-63 (2005).

Public transportation
Reducing Boarding and Alighting Accident Rates on Mixed High and Low Platform Railroad Lines through Car and Station Design. — Edward K. Morlok and Bradley F. Nitzberg; 131(5), 382-91 (2005).
Feeder Bus Routes Generation within Integrated Mass Transit Planning Framework. — Ashish Verma and S. L. Dhingra; 131(11), 822-34 (2005).

Quality control
Guidelines for Performance Assessment of Digital Imaging Systems Used in Highway Applications. — A. Mraz, M. Gunaratne, and A. Nazef; 131(6), 429-43 (2005).
Assessment of Construction Smoothness Specification Pay Factor Limits Using Artificial Neural Network Modeling. — Shao-Fan Chou and Terhi K. Pellinen; 131(7), 563-70 (2005).

Queueing
Accuracy of the HCM 2000 Queue Clearance Model: Case of Multiple Approach Lanes with Shared Left Turns and Multiple Opposing Lanes. — Shannon L. Foil and Mohammad A. Qureshi; 131(12), 912-6 (2005).

Radiography
Why Different Fatigue Lives? Answer Is in the Tomograms. — S. Figen Kalyoncuoglu; 131(10), 725-31 (2005).

Rail transportation
Vehicle Speed Profiles to Minimize Work and Fuel Consumption. — David J. Chang and Edward K. Morlok; 131(3), 173-82 (2005).
Reducing Boarding and Alighting Accident Rates on Mixed High and Low Platform Railroad Lines through Car and Station Design. — Edward K. Morlok and Bradley F. Nitzberg; 131(5), 382-91 (2005).

Railroad cars
Reducing Boarding and Alighting Accident Rates on Mixed High and Low Platform Railroad Lines through Car and Station Design. — Edward K. Morlok and Bradley F. Nitzberg; 131(5), 382-91 (2005).

Railroad grade crossings
A Framework for Assessing Models that Rank Highway-Rail Grade Crossings for Improvement. — Mohammad Qureshi, Sindhu Avalokita, and Naveen Yathapu; 131(5), 352-7 (2005).

Railroad stations
Reducing Boarding and Alighting Accident Rates on Mixed High and Low Platform Railroad Lines through Car and Station Design. — Edward K. Morlok and Bradley F. Nitzberg; 131(5), 382-91 (2005).

Ramps
Effect of On-Ramp Geometric and Operational Factors on Vehicle Activity. — Paul R. Lederer, Louis F. Cohn, Randall Guensler, and Roswell A. Harris; 131(1), 18-26 (2005).
Balancing Efficiency and Equity of Ramp Meters. — Lei Zhang and David Levinson; 131(6), 477-81 (2005).

Real estates properties
Costs of Right-of-Way Acquisition: Methods and Models for Estimation. — Jared D. Heiner and Kara M. Kockelman; 131(3), 193-204 (2005).

Reconstruction
Planning Urban Highway Reconstruction with Traffic Demand Affected by Construction Schedule. — Eul-Bum Lee, David Thomas, and Loren Bloomberg; 131(10), 752-61 (2005).

Regression models
Count Data Models for Trip Generation. — Tae Youn Jang; 131(6), 444-50 (2005).

Rehabilitation
Determining Layer Contributions to Rutting by Surface Profile Analysis. — John E. Haddock, Adam J. T. Hand, Hongbing Fang, and Thomas D. White; 131(2), 131-9 (2005).
Performance-Based Models for Flexible Pavement Structural Overlay Design. — Khaled A. Abaza; 131(2), 149-59 (2005).
Modeling of Strain Energy Absorbers for Rehabilitated Cracked Flexible Pavements. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(9), 653-61 (2005).
Unified Design Method for Most No-Dig Rehabilitation Liners. — Jey K. Jeyapalan; 131(9), 717-21 (2005).
Planning Urban Highway Reconstruction with Traffic Demand Affected by Construction Schedule. — Eul-Bum Lee, David Thomas, and Loren Bloomberg; 131(10), 752-61 (2005).
Use of Recurrent Markov Chains for Modeling the Crack Performance of Flexible Pavements. — Jidong Yang, Manjriker Gunaratne, Jian John Lu, and Bruce Dietrich; 131(11), 861-72 (2005).

Reinforcement
Effectiveness of Steel Reinforcing Nettings in Combating Fatigue Cracking in New Flexible Pavement Systems. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(1), 37-45 (2005).
Crack Width Measurements in Continuously Reinforced Concrete Pavements. — Erwin R. Kohler and Jeffery R. Roesler; 131(9), 645-52 (2005).

Research
Road Safety: Discussion of State of Practice. — Gary S. Spring; 131(5), 329-32 (2005).

Right of way, land
Costs of Right-of-Way Acquisition: Methods and Models for Estimation. — Jared D. Heiner and Kara M. Kockelman; 131(3), 193-204 (2005).

Rigid pavements
Determination of Critical Concrete Pavement Fatigue Damage Locations Using Influence Lines. — Jacob E. Hiller and Jeffery R. Roesler; 131(8), 599-607 (2005).

Risk management
Hierarchical Bayesian Estimation of Safety Performance Functions for Two-Lane Highways Using Markov Chain Monte Carlo Modeling. — Xiao Qin, John N. Ivan, Nalini Ravishanker, and Junfeng Liu; 131(5), 345-51 (2005).
Reducing Boarding and Alighting Accident Rates on Mixed High and Low Platform Railroad Lines through Car and Station Design. — Edward K. Morlok and Bradley F. Nitzberg; 131(5), 382-91 (2005).

Road construction
New Approaches for the Earth Distribution Method. — Kemal Selçuk Ögüt; 131(4), 294-301 (2005).

Road curves
Track Behavior in Curve Areas: Attempt at Typology. — Peter Spacek; 131(9), 669-76 (2005).
Offsetting Opposing Left-Turn Lanes for Intersections on Horizontal Curves. — Said M. Easa, Muhammad Z. A. Ali, and Essam Dabbour; 131(11), 835-42 (2005).
Theoretical Analysis for Horizontal Curves Based on Actual Discomfort Speed. — Faisal Awadallah; 131(11), 843-50 (2005).

Road design
Vehicle Speed Profiles to Minimize Work and Fuel Consumption. — David J. Chang and Edward K. Morlok; 131(3), 173-82 (2005).
New Approaches for the Earth Distribution Method. — Kemal Selçuk Ögüt; 131(4), 294-301 (2005).
Context-Sensitive Design: Issues with Design Elements. — Nikiforos Stamatiadis; 131(5), 374-8 (2005).
Modeling Operating Speed and Speed Differential on Two-Lane Rural Roads. — P. Misaghi and Y. Hassan; 131(6), 408-18 (2005).
Modified Guidelines for Left-Turn Lane Geometry at Intersections. — Said M. Easa and Muhammad Z. A. Ali; 131(9), 677-88 (2005).
Theoretical Analysis for Horizontal Curves Based on Actual Discomfort Speed. — Faisal Awadallah; 131(11), 843-50 (2005).

Road surface
Wavelet Analysis and Interpretation of Road Roughness. — Liu Wei, T. F. Fwa, and Zhao Zhe; 131(2), 120-30 (2005).
Determining Layer Contributions to Rutting by Surface Profile Analysis. — John E. Haddock, Adam J. T. Hand, Hongbing Fang, and Thomas D. White; 131(2), 131-9 (2005).
Prediction of Road Surface Friction Coefficient Using Only Macro- and Microtexture Measurements. — Murat Ergun, Sukriye Iyinam, and A. Faik Iyinam; 131(4), 311-9 (2005).
Automated Road Segmentation Using a Bayesian Algorithm. — Fridtjof Thomas; 131(8), 591-8 (2005).

Roads
Exploration of the Relationships between Operating Speed and Roadway Features on Tangent Sections. — Kay Fitzpatrick, Shaw-Pin Miaou, Marcus Brewer, Paul Carlson, and Mark D. Wooldridge; 131(4), 261-9 (2005).

Robotics
Practical, Interactive, and Object-Oriented Machine Vision for Highway Crack Sealing. — Xin Feng, Rene Mathurin, and Steven A. Velinsky; 131(6), 451-9 (2005).

Routes
Feeder Bus Routes Generation within Integrated Mass Transit Planning Framework. — Ashish Verma and S. L. Dhingra; 131(11), 822-34 (2005).

Routing
Multiobjective Vehicle Routing and Scheduling Problem with Time Window Constraints in Hazardous Material Transportation. — Qiang Meng, Der-Horng Lee, and Ruey Long Cheu; 131(9), 699-707 (2005).

Rural areas
Hierarchical Bayesian Estimation of Safety Performance Functions for Two-Lane Highways Using Markov Chain Monte Carlo Modeling. — Xiao Qin, John N. Ivan, Nalini Ravishanker, and Junfeng Liu; 131(5), 345-51 (2005).
Modeling Operating Speed and Speed Differential on Two-Lane Rural Roads. — P. Misaghi and Y. Hassan; 131(6), 408-18 (2005).

Safety
New Method to Assess Ride Safety on Uneven Element Pavements. — Maurizio Crispino, Alessandro Tasora, and Emmanuele Vaghi; 131(1), 27-36 (2005).

Safety research
Fishing for Safety Information in Murky Waters. — Ezra Hauer; 131(5), 340-4 (2005).

Scheduling
Multiobjective Vehicle Routing and Scheduling Problem with Time Window Constraints in Hazardous Material Transportation. — Qiang Meng, Der-Horng Lee, and Ruey Long Cheu; 131(9), 699-707 (2005).

Sealing
Analysis of Emulsion and Hot Asphalt Cement Chip Seal Performance. — Douglas D. Gransberg and Musharraf Zaman; 131(3), 229-38 (2005).
Practical, Interactive, and Object-Oriented Machine Vision for Highway Crack Sealing. — Xin Feng, Rene Mathurin, and Steven A. Velinsky; 131(6), 451-9 (2005).

Segmented elements
Automated Road Segmentation Using a Bayesian Algorithm. — Fridtjof Thomas; 131(8), 591-8 (2005).

Shrinkage
Environmental Effects on the Behavior of Jointed Plain Concrete Pavements. — Jin-Hoon Jeong and Dan G. Zollinger; 131(2), 140-8 (2005).

Sight distances
Modified Guidelines for Left-Turn Lane Geometry at Intersections. — Said M. Easa and Muhammad Z. A. Ali; 131(9), 677-88 (2005).
Offsetting Opposing Left-Turn Lanes for Intersections on Horizontal Curves. — Said M. Easa, Muhammad Z. A. Ali, and Essam Dabbour; 131(11), 835-42 (2005).

Signs
Impact of Sign Orientation on On-Premise Commercial Signs. — Abdulilah Z. Zineddin, Philip M. Garvey, and Martin T. Pietrucha; 131(1), 11-7 (2005).

Simulation
Crash Reconstruction Technique for Longitudinal Barriers. — Brian A. Coon and John D. Reid; 131(1), 54-62 (2005).
Improvements to G4(RW) Strong-Post Round-Wood, W-Beam Guardrail System. — Ali O. Atahan and Ömer F. Cansiz; 131(1), 63-73 (2005).
Exploratory Simulation of Pedestrian Crossings at Roundabouts. — Nagui Rouphail, Ron Hughes, and Kosok Chae; 131(3), 211-8 (2005).
Modeling the Effect of Heavy Vehicles on Sign Occlusion at Multilane Highways. — Ahmed Al-Kaisy, Jigar Bhatt, and Hesham Rakha; 131(3), 219-28 (2005).
Evaluation of Traffic Signal Displays for Protected-Permissive Left-Turn Control Using Driving Simulator Technology. — Michael A. Knodler, Jr., David A. Noyce, Kent C. Kacir, and Christopher L. Brehmer; 131(4), 270-8 (2005).
Influence of Bus Stops on Flow Characteristics of Mixed Traffic. — Reebu Zachariah Koshy and V. Thamizh Arasan; 131(8), 640-3 (2005).

Simulation models
New Method to Assess Ride Safety on Uneven Element Pavements. — Maurizio Crispino, Alessandro Tasora, and Emmanuele Vaghi; 131(1), 27-36 (2005).
Quasidynamic Network Assignment Procedure with Transient Demand Matrices. — T. Tsekeris and A. Stathopoulos; 131(2), 89-100 (2005).
Video-Capture-Based Approach to Extract Multiple Vehicular Trajectory Data for Traffic Modeling. — Heng Wei, Chuen Feng, Eric Meyer, and Joe Lee; 131(7), 496-505 (2005).
Examining the Quality of Synthetic Origin–Destination Trip Table Estimated by Path Flow Estimator. — Anthony Chen, Piya Chootinan, and Will W. Recker; 131(7), 506-13 (2005).
Some Guidelines for Selecting Microsimulation Models for Interchange Traffic Operational Analysis. — Fang Clara Fang and Lily Elefteriadou; 131(7), 535-43 (2005).
Modeling Vehicle Emissions in Hot-Stabilized Conditions Using a Simultaneous Equations Model. — Hualiang (Harry) Teng, Yi (Grace) Qi, Joon H. Byun, Yuko Nakanishi, and David E. James; 131(10), 762-70 (2005).
Comparison of Control Delays from *CORSIM* and the*Highway Capacity Manual* for Oversaturated Signalized Intersections. — Sang-Ock Kim and R. F. Benekohal; 131(12), 917-23 (2005).

Singapore
Transferability of Expressway Incident Detection Algorithms to Singapore and Melbourne. — Chin Long Mak and Henry S. L. Fan; 131(2), 101-11 (2005).

Skid resistance
Changes in Asphalt Pavement Friction Components and Adjustment of Skid Number for Temperature. — Subhi M. Bazlamit and Farhad Reza; 131(6), 470-6 (2005).

Slabs
Characterizing Effective Built-In Curling from Concrete Pavement Field Measurements. — Shreenath Rao and Jeffery R. Roesler; 131(4), 320-7 (2005).

South Dakota
Heavy Off-Road Vehicle Tire-Pavement Interactions and Response. — Raj V. Siddharthan, Peter E. Sebaaly, Magdy El-Desouky, Dan Strand, and David Huft; 131(3), 239-47 (2005).

Speed control
New Method to Assess Ride Safety on Uneven Element Pavements. — Maurizio Crispino, Alessandro Tasora, and Emmanuele Vaghi; 131(1), 27-36 (2005).
Vehicle Speed Profiles to Minimize Work and Fuel Consumption. — David J. Chang and Edward K. Morlok; 131(3), 173-82 (2005).

State governments
Assessment of Construction Smoothness Specification Pay Factor Limits Using Artificial Neural Network Modeling. — Shao-Fan Chou and Terhi K. Pellinen; 131(7), 563-70 (2005).

Statistic analysis
Exploration of the Relationships between Operating Speed and Roadway Features on Tangent Sections. — Kay Fitzpatrick, Shaw-Pin Miaou, Marcus Brewer, Paul Carlson, and Mark D. Wooldridge; 131(4), 261-9 (2005).

Statistical analysis
Axle Load Spectra Characterization by Mixed Distribution Modeling. — David H. Timm, S. Michelle Tisdale, and Rod E. Turochy; 131(2), 83-8 (2005).
Fishing for Safety Information in Murky Waters. — Ezra Hauer; 131(5), 340-4 (2005).
Automated Road Segmentation Using a Bayesian Algorithm. — Fridtjof Thomas; 131(8), 591-8 (2005).

Statistical models
Axle Load Spectra Characterization by Mixed Distribution Modeling. — David H. Timm, S. Michelle Tisdale, and Rod E. Turochy; 131(2), 83-8 (2005).
Modeling Operating Speed and Speed Differential on Two-Lane Rural Roads. — P. Misaghi and Y. Hassan; 131(6), 408-18 (2005).
Survival Analysis of Fatigue Cracking for Flexible Pavements Based on Long-Term Pavement Performance Data. — Yuhong Wang, Kamyar C. Mahboub, and Donn E. Hancher; 131(8), 608-16 (2005).

Steel
Effectiveness of Steel Reinforcing Nettings in Combating Fatigue Cracking in New Flexible Pavement Systems. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(1), 37-45 (2005).

Stochastic processes
Use of Recurrent Markov Chains for Modeling the Crack Performance of Flexible Pavements. — Jidong Yang, Manjriker Gunaratne, Jian John Lu, and Bruce Dietrich; 131(11), 861-72 (2005).

Subgrades
Why Different Fatigue Lives? Answer Is in the Tomograms. — S. Figen Kalyoncuoglu; 131(10), 725-31 (2005).
Effects of Supersingle Tire Loadings on

Pavements. — Daehyeon Kim. Rodrigo Salgado, and Adolph G. Altschaeffl; 131(10), 732-43 (2005).

Submarine pipelines

Installation Load Consideration in Ultra-Deepwater Pipeline Sizing. — M. Kashani and R. Young; 131(8), 632-9 (2005).

Subsurface drainage

Impact of Unsaturated Flow on Pavement Edge-drain Performance. — John C. Stormont and Shenxiong Zhou; 131(1), 46-53 (2005).

Asphalt Overlay and Subsurface Drainage of Broken and Seated Concrete Pavement. — Kamyar C. Mahboub, Yinhui Liu, and David L. Allen; 131(8), 617-22 (2005).

Surface properties

New Method to Assess Ride Safety on Uneven Element Pavements. — Maurizio Crispino, Alessandro Tasora, and Emmanuele Vaghi; 131(1), 27-36 (2005).

Surface roughness

Wavelet Analysis and Interpretation of Road Roughness. — Liu Wei, T. F. Fwa, and Zhao Zhe; 131(2), 120-30 (2005).

Surveys

Wavelet Analysis and Interpretation of Road Roughness. — Liu Wei, T. F. Fwa, and Zhao Zhe; 131(2), 120-30 (2005).

Repeatability in Crack Data Collection on Flexible Pavements: Comparison between Surveys Using Video Cameras, Laser Cameras, and a Simplified Manual Survey. — Petra Offrell, Leif Sjögren, and Rolf Magnusson; 131(7), 552-62 (2005).

Temperature

Environmental Effects on the Behavior of Jointed Plain Concrete Pavements. — Jin-Hoon Jeong and Dan G. Zollinger; 131(2), 140-8 (2005).

Characterizing Effective Built-In Curling from Concrete Pavement Field Measurements. — Shreenath Rao and Jeffery R. Roesler; 131(4), 320-7 (2005).

Temperature effects

Changes in Asphalt Pavement Friction Components and Adjustment of Skid Number for Temperature. — Subhi M. Bazlamit and Farhad Reza; 131(6), 470-6 (2005).

Crack Width Measurements in Continuously Reinforced Concrete Pavements. — Erwin R. Kohler and Jeffery R. Roesler; 131(9), 645-52 (2005).

Tests

Structural Behavior of Cast In Situ Concrete Block Pavement. — Teiborlang L. Ryntathiang, M. Mazumdar, and B. B. Pandey; 131(9), 662-8 (2005).

Tires

Heavy Off-Road Vehicle Tire-Pavement Interactions and Response. — Raj V. Siddharthan, Peter E. Sebaaly, Magdy El-Desouky, Dan Strand, and David Huft; 131(3), 239-47 (2005).

Effects of Supersingle Tire Loadings on Pavements. — Daehyeon Kim, Rodrigo Salgado, and Adolph G. Altschaeffl; 131(10), 732-43 (2005).

Traffic accident

Comparative Analysis of Travel Impacts between the Design-Build and Traditional Building Methods. — Aleksandar Z. Stevanovic, Peter T. Martin, and Rodrigo Disegni; 131(9), 708-16 (2005).

Traffic accidents

Crash Reconstruction Technique for Longitudinal Barriers. — Brian A. Coon and John D. Reid; 131(1), 54-62 (2005).

Hierarchical Bayesian Estimation of Safety Performance Functions for Two-Lane Highways Using Markov Chain Monte Carlo Modeling. — Xiao Qin, John N. Ivan, Nalini Ravishanker, and Junfeng Liu; 131(5), 345-51 (2005).

Real-Time Estimation of Accident Likelihood for Safety Enhancement. — Jun-Seok Oh, Cheol Oh, Stephen G. Ritchie, and Myungsoon Chang; 131(5), 358-63 (2005).

Development of Decision-Support System for Managing Highway Safety. — Athanasios P. Chassiakos, Christina Panagolia, and Dimitrios D. Theodorakopoulos; 131(5), 364-73 (2005).

Crash Comparison of Single Point and Tight Diamond Interchanges. — Joe Bared, Alvin Powell, Evangelos Kaisar, and Ramanujan Jagannathan; 131(5), 379-81 (2005).

Exploring Trampling and Crushing in a Crowd. — Ris S. C. Lee and Roger L. Hughes; 131(8), 575-82 (2005).

Traffic analysis

Quasidynamic Network Assignment Procedure with Transient Demand Matrices. — T. Tsekeris and A. Stathopoulos; 131(2), 89-100 (2005).

Video-Capture-Based Approach to Extract Multiple Vehicular Trajectory Data for Traffic Modeling. — Heng Wei, Chuen Feng, Eric Meyer, and Joe Lee; 131(7), 496-505 (2005).

Examining the Quality of Synthetic Origin–Destination Trip Table Estimated by Path Flow Estimator. — Anthony Chen, Piya Chootinan, and Will W. Recker; 131(7), 506-13 (2005).

Developing Passenger Car Equivalency Factors for Heavy Vehicles during Congestion. — Ahmed Al-Kaisy, Younghan Jung, and Hesham Rakha; 131(7), 514-23 (2005).

Some Guidelines for Selecting Microsimulation Models for Interchange Traffic Operational Analysis. — Fang Clara Fang and Lily Elefteriadou; 131(7), 535-43 (2005).

Planning Urban Highway Reconstruction with Traffic Demand Affected by Construction Schedule. — Eul-Bum Lee, David Thomas, and Loren Bloomberg; 131(10), 752-61 (2005).

Traffic assignment

Quasidynamic Network Assignment Procedure with Transient Demand Matrices. — T. Tsekeris and A. Stathopoulos; 131(2), 89-100 (2005).

Examining the Quality of Synthetic Origin–Destination Trip Table Estimated by Path Flow Estimator. — Anthony Chen, Piya Chootinan, and Will W. Recker; 131(7), 506-13 (2005).

Traffic capacity

Comparison of Control Delays from *CORSIM* and the*Highway Capacity Manual* for Oversaturated Signalized Intersections. — Sang-Ock Kim and R. F. Benekohal; 131(12), 917-23 (2005).

Multiple Imputation Scheme for Overcoming the Missing Values and Variability Issues in ITS Data. — Daiheng Ni, John D. Leonard, II, Angshuman Guin, and Chunxia Feng; 131(12), 931-8 (2005).

Traffic characteristics

Axle Load Spectra Characterization by Mixed Distribution Modeling. — David H. Timm, S. Michelle Tisdale, and Rod E. Turochy; 131(2), 83-8 (2005).

Spatial and Temporal Variations in Axle Load Spectra and Impacts on Pavement Design. — Rod E. Turochy, S. Michelle Baker, and David H. Timm; 131(10), 802-8 (2005).

Traffic congestion

Prohibiting Left-Turn Movements at Mid-Block Unsignalized Driveways: Simulation Analysis. — Mashrur Chowdhury, Nichole Derov, Paulin Tan, and Adel Sadek; 131(4), 279-85 (2005).

Improved Speed Estimates from Freeway Traffic Detectors. — Manish Jain and Benjamin Coifman; 131(7), 483-95 (2005).

Developing Passenger Car Equivalency Factors for Heavy Vehicles during Congestion. — Ahmed Al-Kaisy, Younghan Jung, and Hesham Rakha; 131(7), 514-23 (2005).

Dynamic Wavelet Neural Network Model for Traffic Flow Forecasting. — Xiaomo Jiang and Hojjat Adeli; 131(10), 771-9 (2005).

Traffic control

Comparison of Control Delays from *CORSIM* and the*Highway Capacity Manual* for Oversaturated Signalized Intersections. — Sang-Ock Kim and R. F. Benekohal; 131(12), 917-23 (2005).

Traffic control devices

Active Warning Systems: Synthesis. — Virginia P. Sisiopiku and John R. Elliott; 131(3), 205-10 (2005).

Traffic delay

Planning Urban Highway Reconstruction with Traffic Demand Affected by Construction Schedule. — Eul-Bum Lee, David Thomas, and Loren Bloomberg; 131(10), 752-61 (2005).

Comparison of Control Delays from *CORSIM* and the*Highway Capacity Manual* for Oversaturated Signalized Intersections. — Sang-Ock Kim and R. F. Benekohal; 131(12), 917-23 (2005).

Validation of HCM Pedestrian Delay Model for Interrupted Facilities. — Venkat Chilukuri and Mark R. Virkler; 131(12), 939-45 (2005).

Traffic flow

Methodology for Modeling Highly Heterogeneous Traffic Flow. — V. Thamizh Arasan and Reebu Zachariah Koshy; 131(7), 544-51 (2005).

Influence of Bus Stops on Flow Characteristics of Mixed Traffic. — Reebu Zachariah Koshy and V. Thamizh Arasan; 131(8), 640-3 (2005).

Dynamic Wavelet Neural Network Model for Traffic Flow Forecasting. — Xiaomo Jiang and Hojjat Adeli; 131(10), 771-9 (2005).

Calibration of Capacity Parameters for Signalized Intersections in Indiana. — Rafael I. Perez-Cartagena and Andrew P. Tarko; 131(12), 904-11 (2005).

Saturation Flow Rates and Maximum Critical Lane Volumes for Planning Applications in Maryland. — Jenish Joseph and Gang-Len Chang; 131(12), 946-52 (2005).

New Level-of-Service Standard for Signalized Crosswalks with Bi-Directional Pedestrian Flows. — Jodie Y. S. Lee, P. K. Goh, and William H. K. Lam; 131(12), 957-60 (2005).

Traffic management

Transferability of Expressway Incident Detection Algorithms to Singapore and Melbourne. — Chin Long Mak and Henry S. L. Fan; 131(2), 101-11 (2005).

Exploration of the Relationships between Operating Speed and Roadway Features on Tangent Sections. — Kay Fitzpatrick, Shaw-Pin Miaou, Marcus Brewer, Paul Carlson, and Mark D. Wooldridge; 131(4), 261-9 (2005).

Prohibiting Left-Turn Movements at Mid-Block Unsignalized Driveways: Simulation Analysis. — Mashrur Chowdhury, Nichole Derov, Paulin Tan, and Adel Sadek; 131(4), 279-85 (2005).

Real-Time Estimation of Accident Likelihood for Safety Enhancement. — Jun-Seok Oh, Cheol Oh, Stephen G. Ritchie, and Myungsoon Chang; 131(5), 358-63 (2005).

Balancing Efficiency and Equity of Ramp Meters. — Lei Zhang and David Levinson; 131(6), 477-81 (2005).

Developing Passenger Car Equivalency Factors for Heavy Vehicles during Congestion. — Ahmed Al-Kaisy, Younghan Jung, and Hesham Rakha; 131(7), 514-23 (2005).

Influence of Bus Stops on Flow Characteristics of Mixed Traffic. — Reebu Zachariah Koshy and V. Thamizh Arasan; 131(8), 640-3 (2005).

Federal Highway Administration Vehicle Classification from Video Data and a Disaggregation Model. — Andrew J. Graettinger, Ramgiridhar R. Kilim, Meghavardhan R. Govindu, Philip W. Johnson, and S. Rocky Durrans; 131(9), 689-98 (2005).

Work Zone Lengths for a Four-Lane Road with an Alternate Route. — Chun-Hung Chen and Paul Schonfeld; 131(10), 780-9 (2005).

Development of an Improved Cycle Length Model over the *Highway Capacity Manual 2000* Quick Estimation Method. — DingXin Cheng, Zong Z. Tian, and Carroll J. Messer; 131(12), 890-7 (2005).

Potential Effects of Wet Conditions on Signalized Intersection LOS. — Panos D. Prevedouros and Kerwin Chang; 131(12), 898-903 (2005).

Calibration of Capacity Parameters for Signalized Intersections in Indiana. — Rafael I. Perez-Cartagena and Andrew P. Tarko; 131(12), 904-11 (2005).

Accuracy of the HCM 2000 Queue Clearance Model: Case of Multiple Approach Lanes with Shared Left Turns and Multiple Opposing Lanes. — Shannon L. Foil and Mohammad A. Qureshi; 131(12), 912-6 (2005).

Capacity Models and Parameters for Unsignalized Urban Intersections in Poland. — Janusz Chodur; 131(12), 924-30 (2005).

Saturation Flow Rates and Maximum Critical Lane Volumes for Planning Applications in Maryland. — Jenish Joseph and Gang-Len Chang; 131(12), 946-52 (2005).

Determining the Capacity of Single-Lane Roundabouts in Izmir, Turkey. — Serhan Tanyel, Türkay Baran, and Mustafa Özuysal; 131(12), 953-6 (2005).

New Level-of-Service Standard for Signalized Crosswalks with Bi-Directional Pedestrian Flows. — Jodie Y. S. Lee, P. K. Goh, and William H. K. Lam; 131(12), 957-60 (2005).

Traffic models

Traffic-Count Based Distribution Model for Site Impact Studies (TE-22904). — Hanwen Yi, Thomas E. Mulinazzi, and Joe Lee; 131(4), 286-93 (2005).

Video-Capture-Based Approach to Extract Multiple Vehicular Trajectory Data for Traffic Modeling. — Heng Wei, Chuen Feng, Eric Meyer, and Joe Lee; 131(7), 496-505 (2005).

Federal Highway Administration Vehicle Classification from Video Data and a Disaggregation Model. — Andrew J. Graettinger, Ramgiridhar R. Kilim, Meghavardhan R. Govindu, Philip W. Johnson, and S. Rocky Durrans; 131(9), 689-98 (2005).

Traffic patterns

Traffic-Count Based Distribution Model for Site Impact Studies (TE-22904). — Hanwen Yi, Thomas E. Mulinazzi, and Joe Lee; 131(4), 286-93 (2005).

Empirical Study of Traffic Features at a Freeway Lane Drop. — Robert L. Bertini and Monica T. Leal; 131(6), 397-407 (2005).

Methodology for Modeling Highly Heterogeneous Traffic Flow. — V. Thamizh Arasan and Reebu Zachariah Koshy; 131(7), 544-51 (2005).

Traffic safety

Active Warning Systems: Synthesis. — Virginia P. Sisiopiku and John R. Elliott; 131(3), 205-10 (2005).

Evaluation of Traffic Signal Displays for Protected-Permissive Left-Turn Control Using Driving Simulator Technology. — Michael A. Knodler, Jr., David A. Noyce, Kent C. Kacir, and Christopher L. Brehmer; 131(4), 270-8 (2005).

Hierarchical Bayesian Estimation of Safety Performance Functions for Two-Lane Highways Using Markov Chain Monte Carlo Modeling. — Xiao Qin, John N. Ivan, Nalini Ravishanker, and Junfeng Liu; 131(5), 345-51 (2005).

Real-Time Estimation of Accident Likelihood for Safety Enhancement. — Jun-Seok Oh, Cheol Oh, Stephen G. Ritchie, and Myungsoon Chang; 131(5), 358-63 (2005).

Crash Comparison of Single Point and Tight Diamond Interchanges. — Joe Bared, Alvin Powell, Evangelos Kaisar, and Ramanujan Jagannathan; 131(5), 379-81 (2005).

Exploring Trampling and Crushing in a Crowd. — Ris S. C. Lee and Roger L. Hughes; 131(8), 575-82 (2005).

Street Crossing by Sighted and Blind Pedestrians at a Modern Roundabout. — Daniel H. Ashmead, David Guth, Robert S. Wall, Richard G. Long, and Paul E. Ponchillia; 131(11), 812-21 (2005).

Traffic signals

The Network Signal Design Problem for Long-Range Travel Forecasting. — Alan J. Horowitz and Minnie H. Patel; 131(3), 183-92 (2005).

Evaluation of Traffic Signal Displays for Protected-Permissive Left-Turn Control Using Driving Simulator Technology. — Michael A. Knodler, Jr., David A. Noyce, Kent C. Kacir, and Christopher L. Brehmer; 131(4), 270-8 (2005).

Prohibiting Left-Turn Movements at Mid-Block Unsignalized Driveways: Simulation Analysis. — Mashrur Chowdhury, Nichole Derov, Paulin Tan, and Adel Sadek; 131(4), 279-85 (2005).

Development of an Improved Cycle Length Model over the *Highway Capacity Manual 2000* Quick Estimation Method. — DingXin Cheng, Zong Z. Tian, and Carroll J. Messer; 131(12), 890-7 (2005).

Potential Effects of Wet Conditions on Signalized Intersection LOS. — Panos D. Prevedouros and Kerwin Chang; 131(12), 898-903 (2005).

Accuracy of the HCM 2000 Queue Clearance Model: Case of Multiple Approach Lanes with Shared Left Turns and Multiple Opposing Lanes. — Shannon L. Foil and Mohammad A. Qureshi; 131(12), 912-6 (2005).

Comparison of Control Delays from *CORSIM* and the*Highway Capacity Manual* for Oversaturated Signalized Intersections. — Sang-Ock Kim and R. F. Benekohal; 131(12), 917-23 (2005).

Capacity Models and Parameters for Unsignalized Urban Intersections in Poland. — Janusz Chodur; 131(12), 924-30 (2005).

Validation of HCM Pedestrian Delay Model for Interrupted Facilities. — Venkat Chilukuri and Mark R. Virkler; 131(12), 939-45 (2005).

Traffic signs

Active Warning Systems: Synthesis. — Virginia P. Sisiopiku and John R. Elliott; 131(3), 205-10 (2005).

Modeling the Effect of Heavy Vehicles on Sign Occlusion at Multilane Highways. — Ahmed Al-Kaisy, Jigar Bhatt, and Hesham Rakha; 131(3), 219-28 (2005).

Traffic speed

Low-Speed Horizontal Curve Friction Factors. — J. L. Gattis, B. Finley Vinson, III, and Lynette K. Duncan; 131(2), 112-9 (2005).

Exploration of the Relationships between Operating Speed and Roadway Features on Tangent Sections. — Kay Fitzpatrick, Shaw-Pin Miaou, Marcus Brewer, Paul Carlson, and Mark D. Wooldridge; 131(4), 261-9 (2005).

Modeling Operating Speed and Speed Differential on Two-Lane Rural Roads. — P. Misaghi and Y. Hassan; 131(6), 408-18 (2005).

Improved Speed Estimates from Freeway Traffic Detectors. — Manish Jain and Benjamin Coifman; 131(7), 483-95 (2005).

Traffic surveillance

Transferability of Expressway Incident Detection Algorithms to Singapore and Melbourne. — Chin Long Mak and Henry S. L. Fan; 131(2), 101-11 (2005).

Improved Speed Estimates from Freeway Traffic Detectors. — Manish Jain and Benjamin Coifman; 131(7), 483-95 (2005).

Federal Highway Administration Vehicle Classification from Video Data and a Disaggregation Model. — Andrew J. Graettinger, Ramgiridhar R. Kilim, Meghavardhan R. Govindu, Philip W. Johnson, and S. Rocky Durrans; 131(9), 689-98 (2005).

Traffic surveys

Traffic Counting Location and Error Bound in Origin-Destination Matrix Estimation Problems. — Liping Gan, Hai Yang, and Sze Chun Wong; 131(7), 524-34 (2005).

Traffic volume
Federal Highway Administration Vehicle Classification from Video Data and a Disaggregation Model. — Andrew J. Graettinger, Ramgiridhar R. Kilim, Meghavardhan R. Govindu, Philip W. Johnson, and S. Rocky Durrans; 131(9), 689-98 (2005).

Training
The Road Ahead. — Ezra Hauer; 131(5), 333-9 (2005).

Transportation engineering
Vehicle Speed Profiles to Minimize Work and Fuel Consumption. — David J. Chang and Edward K. Morlok; 131(3), 173-82 (2005).
Theoretical Analysis for Horizontal Curves Based on Actual Discomfort Speed. — Faisal Awadallah; 131(11), 843-50 (2005).

Transportation management
Comparative Analysis of Travel Impacts between the Design-Build and Traditional Building Methods. — Aleksandar Z. Stevanovic, Peter T. Martin, and Rodrigo Disegni; 131(9), 708-16 (2005).
Modeling Vehicle Emissions in Hot-Stabilized Conditions Using a Simultaneous Equations Model. — Hualiang (Harry) Teng, Yi (Grace) Qi, Joon H. Byun, Yuko Nakanishi, and David E. James; 131(10), 762-70 (2005).

Transportation models
Population Origin–Destination Estimation Using Automatic Vehicle Identification and Volume Data. — Michael P. Dixon and L. R. Rilett; 131(2), 75-82 (2005).
Modeling the Effect of Heavy Vehicles on Sign Occlusion at Multilane Highways. — Ahmed Al-Kaisy, Jigar Bhatt, and Hesham Rakha; 131(3), 219-28 (2005).
A Framework for Assessing Models that Rank Highway-Rail Grade Crossings for Improvement. — Mohammad Qureshi, Sindhu Avalokita, and Naveen Yathapu; 131(5), 352-7 (2005).
Multiobjective Entropy Transportation Model with Trapezoidal Fuzzy Number Penalties, Sources, and Destinations. — Bablu Samanta and Tapan Kumar Roy; 131(6), 419-28 (2005).
Methodology for Modeling Highly Heterogeneous Traffic Flow. — V. Thamizh Arasan and Reebu Zachariah Koshy; 131(7), 544-51 (2005).
Comparative Analysis of Travel Impacts between the Design-Build and Traditional Building Methods. — Aleksandar Z. Stevanovic, Peter T. Martin, and Rodrigo Disegni; 131(9), 708-16 (2005).
Modeling Vehicle Emissions in Hot-Stabilized Conditions Using a Simultaneous Equations Model. — Hualiang (Harry) Teng, Yi (Grace) Qi, Joon H. Byun, Yuko Nakanishi, and David E. James; 131(10), 762-70 (2005).

Transportation networks
Transit Network Design with Variable Demand. — Young-Jae Lee and Vukan R. Vuchic; 131(1), 1-10 (2005).
Quasidynamic Network Assignment Procedure with Transient Demand Matrices. — T. Tsekeris and A. Stathopoulos; 131(2), 89-100 (2005).
The Network Signal Design Problem for Long-Range Travel Forecasting. — Alan J. Horowitz and Minnie H. Patel; 131(3), 183-92 (2005).
Examining the Quality of Synthetic Origin–Destination Trip Table Estimated by Path Flow Estimator. — Anthony Chen, Piya Chootinan, and Will W. Recker; 131(7), 506-13 (2005).
Multiobjective Vehicle Routing and Scheduling Problem with Time Window Constraints in Hazardous Material Transportation. — Qiang Meng, Der-Horng Lee, and Ruey Long Cheu; 131(9), 699-707 (2005).

Transportation planning
The Network Signal Design Problem for Long-Range Travel Forecasting. — Alan J. Horowitz and Minnie H. Patel; 131(3), 183-92 (2005).

Transportation safety
Road Safety: Discussion of State of Practice. — Gary S. Spring; 131(5), 329-32 (2005).
The Road Ahead. — Ezra Hauer; 131(5), 333-9 (2005).
Fishing for Safety Information in Murky Waters. — Ezra Hauer; 131(5), 340-4 (2005).
A Framework for Assessing Models that Rank Highway-Rail Grade Crossings for Improvement. — Mohammad Qureshi, Sindhu Avalokita, and Naveen Yathapu; 131(5), 352-7 (2005).
Reducing Boarding and Alighting Accident Rates on Mixed High and Low Platform Railroad Lines through Car and Station Design. — Edward K. Morlok and Bradley F. Nitzberg; 131(5), 382-91 (2005).
Modeling Operating Speed and Speed Differential on Two-Lane Rural Roads. — P. Misaghi and Y. Hassan; 131(6), 408-18 (2005).
Track Behavior in Curve Areas: Attempt at Typology. — Peter Spacek; 131(9), 669-76 (2005).

Transportation studies
Impact of Sign Orientation on On-Premise Commercial Signs. — Abdulilah Z. Zineddin, Philip M. Garvey, and Martin T. Pietrucha; 131(1), 11-7 (2005).

Transportation systems
Population Origin–Destination Estimation Using Automatic Vehicle Identification and Volume Data. — Michael P. Dixon and L. R. Rilett; 131(2), 75-82 (2005).

Travel demand
Transit Network Design with Variable Demand. — Young-Jae Lee and Vukan R. Vuchic; 131(1), 1-10 (2005).
Quasidynamic Network Assignment Procedure with Transient Demand Matrices. — T. Tsekeris and A. Stathopoulos; 131(2), 89-100 (2005).
The Network Signal Design Problem for Long-Range Travel Forecasting. — Alan J. Horowitz and Minnie H. Patel; 131(3), 183-92 (2005).

Travel patterns
Population Origin–Destination Estimation Using Automatic Vehicle Identification and Volume Data. — Michael P. Dixon and L. R. Rilett; 131(2), 75-82 (2005).

Travel time
Balancing Efficiency and Equity of Ramp Meters. — Lei Zhang and David Levinson; 131(6), 477-81 (2005).

Trenchless technology
Unified Design Method for Most No-Dig Rehabilitation Liners. — Jey K. Jeyapalan; 131(9), 717-21 (2005).

Trip distribution
Examining the Quality of Synthetic Origin–Destination Trip Table Estimated by Path Flow Estimator. — Anthony Chen, Piya Chootinan, and Will W. Recker; 131(7), 506-13 (2005).

Trip distribution models
Traffic-Count Based Distribution Model for Site Impact Studies (TE-22904). — Hanwen Yi, Thomas E. Mulinazzi, and Joe Lee; 131(4), 286-93 (2005).

Trip forecasting
Count Data Models for Trip Generation. — Tae Youn Jang; 131(6), 444-50 (2005).

Trucks
Modeling the Effect of Heavy Vehicles on Sign Occlusion at Multilane Highways. — Ahmed Al-Kaisy, Jigar Bhatt, and Hesham Rakha; 131(3), 219-28 (2005).
Effects of Supersingle Tire Loadings on Pavements. — Daehyeon Kim, Rodrigo Salgado, and Adolph G. Altschaeffl; 131(10), 732-43 (2005).
Spatial and Temporal Variations in Axle Load Spectra and Impacts on Pavement Design. — Rod E. Turochy, S. Michelle Baker, and David H. Timm; 131(10), 802-8 (2005).

Turkey
Determining the Capacity of Single-Lane Roundabouts in Izmir, Turkey. — Serhan Tanyel, Türkay Baran, and Mustafa Özuysal; 131(12), 953-6 (2005).

United Kingdom
Empirical Study of Traffic Features at a Freeway Lane Drop. — Robert L. Bertini and Monica T. Leal; 131(6), 397-407 (2005).

Unsaturated flow
Impact of Unsaturated Flow on Pavement Edge-drain Performance. — John C. Stormont and Shenxiong Zhou; 131(1), 46-53 (2005).

Urban areas
Low-Speed Horizontal Curve Friction Factors. — J. L. Gattis, B. Finley Vinson, III, and Lynette K. Duncan; 131(2), 112-9 (2005).

Urban transportation
Quasidynamic Network Assignment Procedure with Transient Demand Matrices. — T. Tsekeris and A. Stathopoulos; 131(2), 89-100 (2005).
Feeder Bus Routes Generation within Integrated Mass Transit Planning Framework. — Ashish Verma and S. L. Dhingra; 131(11), 822-34 (2005).

Vehicle impacts
Heavy Off-Road Vehicle Tire-Pavement Interactions and Response. — Raj V. Siddharthan, Peter E. Sebaaly, Magdy El-Desouky, Dan Strand, and David Huft; 131(3), 239-47 (2005).

Vehicles
Effect of On-Ramp Geometric and Operational Factors on Vehicle Activity. — Paul R. Lederer, Louis F. Cohn, Randall Guensler, and Roswell A. Harris; 131(1), 18-26 (2005).
Developing Passenger Car Equivalency Factors for Heavy Vehicles during Congestion. — Ahmed Al-Kaisy, Younghan Jung, and Hesham Rakha; 131(7), 514-23 (2005).
Methodology for Modeling Highly Heterogeneous Traffic Flow. — V. Thamizh Arasan and Reebu Zachariah Koshy; 131(7), 544-51 (2005).
Federal Highway Administration Vehicle Classifi-

cation from Video Data and a Disaggregation Model. — Andrew J. Graettinger, Ramgiridhar R. Kilim, Meghavardhan R. Govindu, Philip W. Johnson, and S. Rocky Durrans; 131(9), 689-98 (2005).

Viscoelasticity

Effectiveness of Steel Reinforcing Nettings in Combating Fatigue Cracking in New Flexible Pavement Systems. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(1), 37-45 (2005).

Viscoplasticity

Effects of Nonuniform Tire Contact Stresses on Pavement Response. — Dae-Wook Park, Amy Epps Martin, and Eyad Masad; 131(11), 873-9 (2005).

Visibility

Impact of Sign Orientation on On-Premise Commercial Signs. — Abdulilah Z. Zineddin, Philip M. Garvey, and Martin T. Pietrucha; 131(1), 11-7 (2005).

Modeling the Effect of Heavy Vehicles on Sign Occlusion at Multilane Highways. — Ahmed Al-Kaisy, Jigar Bhatt, and Hesham Rakha; 131(3), 219-28 (2005).

Washington

Hierarchical Bayesian Estimation of Safety Performance Functions for Two-Lane Highways Using Markov Chain Monte Carlo Modeling. — Xiao Qin, John N. Ivan, Nalini Ravishanker, and Junfeng Liu; 131(5), 345-51 (2005).

Weather

Potential Effects of Wet Conditions on Signalized Intersection LOS. — Panos D. Prevedouros and Kerwin Chang; 131(12), 898-903 (2005).

Workspace

Work Zone Lengths for a Four-Lane Road with an Alternate Route. — Chun-Hung Chen and Paul Schonfeld; 131(10), 780-9 (2005).

Author Index

Abaza, Khaled A.
Performance-Based Models for Flexible Pavement Structural Overlay Design. — Khaled A. Abaza; 131(2), 149-59 (2005).

Abu-Odeh, Akram
Performance of Guardrail Systems Encased in Pavement Mow Strips. — Nathaniel R. Seckinger, Akram Abu-Odeh, Roger P. Bligh, and Paul N. Roschke; 131(11), 851-60 (2005).

Adeli, Hojjat
Dynamic Wavelet Neural Network Model for Traffic Flow Forecasting. — Xiaomo Jiang and Hojjat Adeli; 131(10), 771-9 (2005).

Aggarwal, Sanjiv
HDM-4 Pavement Deterioration Models for Indian National Highway Network. — S. S. Jain, Sanjiv Aggarwal, and M. Parida; 131(8), 623-31 (2005).

Ali, Muhammad Z. A.
Modified Guidelines for Left-Turn Lane Geometry at Intersections. — Said M. Easa and Muhammad Z. A. Ali; 131(9), 677-88 (2005).
Offsetting Opposing Left-Turn Lanes for Intersections on Horizontal Curves. — Said M. Easa, Muhammad Z. A. Ali, and Essam Dabbour; 131(11), 835-42 (2005).

Al-Kaisy, Ahmed
Modeling the Effect of Heavy Vehicles on Sign Occlusion at Multilane Highways. — Ahmed Al-Kaisy, Jigar Bhatt, and Hesham Rakha; 131(3), 219-28 (2005).
Developing Passenger Car Equivalency Factors for Heavy Vehicles during Congestion. — Ahmed Al-Kaisy, Younghan Jung, and Hesham Rakha; 131(7), 514-23 (2005).

Allen, David L.
Asphalt Overlay and Subsurface Drainage of Broken and Seated Concrete Pavement. — Kamyar C. Mahboub, Yinhui Liu, and David L. Allen; 131(8), 617-22 (2005).

Al-Qadi, Imad L.
Effectiveness of Steel Reinforcing Nettings in Combating Fatigue Cracking in New Flexible Pavement Systems. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(1), 37-45 (2005).
Modeling of Strain Energy Absorbers for Rehabilitated Cracked Flexible Pavements. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(9), 653-61 (2005).

Altschaeffl, Adolph G.
Effects of Supersingle Tire Loadings on Pavements. — Daehyeon Kim, Rodrigo Salgado, and Adolph G. Altschaeffl; 131(10), 732-43 (2005).

Arasan, V. Thamizh
Methodology for Modeling Highly Heterogeneous Traffic Flow. — V. Thamizh Arasan and Reebu Zachariah Koshy; 131(7), 544-51 (2005).
Influence of Bus Stops on Flow Characteristics of Mixed Traffic. — Reebu Zachariah Koshy and V. Thamizh Arasan; 131(8), 640-3 (T) (2005).

Ashmead, Daniel H.
Street Crossing by Sighted and Blind Pedestrians at a Modern Roundabout. — Daniel H. Ashmead, David Guth, Robert S. Wall, Richard G. Long, and Paul E. Ponchillia; 131(11), 812-21 (2005).

Atahan, Ali O.
Improvements to G4(RW) Strong-Post Round-Wood, W-Beam Guardrail System. — Ali O. Atahan and Ömer F. Cansiz; 131(1), 63-73 (2005).

Avalokita, Sindhu
A Framework for Assessing Models that Rank Highway-Rail Grade Crossings for Improvement. — Mohammad Qureshi, Sindhu Avalokita, and Naveen Yathapu; 131(5), 352-7 (2005).

Awadallah, Faisal
Theoretical Analysis for Horizontal Curves Based on Actual Discomfort Speed. — Faisal Awadallah; 131(11), 843-50 (2005).

Baker, S. Michelle
Spatial and Temporal Variations in Axle Load Spectra and Impacts on Pavement Design. — Rod E. Turochy, S. Michelle Baker, and David H. Timm; 131(10), 802-8 (T) (2005).

Baran, Türkay
Determining the Capacity of Single-Lane Roundabouts in Izmir, Turkey. — Serhan Tanyel, Türkay Baran, and Mustafa Özuysal; 131(12), 953-6 (T) (2005).

Bared, Joe
Crash Comparison of Single Point and Tight Diamond Interchanges. — Joe Bared, Alvin Powell, Evangelos Kaisar, and Ramanujan Jagannathan; 131(5), 379-81 (2005).

Bazlamit, Subhi M.
Changes in Asphalt Pavement Friction Components and Adjustment of Skid Number for Temperature. — Subhi M. Bazlamit and Farhad Reza; 131(6), 470-6 (2005).

Benekohal, R. F.
Comparison of Control Delays from *CORSIM* and the *Highway Capacity Manual* for Oversaturated Signalized Intersections. — Sang-Ock Kim and R. F. Benekohal; 131(12), 917-23 (2005).

Bertini, Robert L.
Empirical Study of Traffic Features at a Freeway Lane Drop. — Robert L. Bertini and Monica T. Leal; 131(6), 397-407 (2005).

Bhatt, Jigar
Modeling the Effect of Heavy Vehicles on Sign Occlusion at Multilane Highways. — Ahmed Al-Kaisy, Jigar Bhatt, and Hesham Rakha; 131(3), 219-28 (2005).

Bligh, Roger P.
Performance of Guardrail Systems Encased in Pavement Mow Strips. — Nathaniel R. Seckinger, Akram Abu-Odeh, Roger P. Bligh, and Paul N. Roschke; 131(11), 851-60 (2005).

Bloomberg, Loren
Planning Urban Highway Reconstruction with Traffic Demand Affected by Construction Schedule. — Eul-Bum Lee, David Thomas, and Loren Bloomberg; 131(10), 752-61 (2005).

Brehmer, Christopher L.
Evaluation of Traffic Signal Displays for Protected-Permissive Left-Turn Control Using Driving Simulator Technology. — Michael A. Knodler, Jr., David A. Noyce, Kent C. Kacir, and Christopher L. Brehmer; 131(4), 270-8 (2005).

Brewer, Marcus
Exploration of the Relationships between Operating Speed and Roadway Features on Tangent Sections. — Kay Fitzpatrick, Shaw-Pin Miaou, Marcus Brewer, Paul Carlson, and Mark D. Wooldridge; 131(4), 261-9 (2005).

Byun, Joon H.
Modeling Vehicle Emissions in Hot-Stabilized Conditions Using a Simultaneous Equations Model. — Hualiang (Harry) Teng, Yi (Grace) Qi, Joon H. Byun, Yuko Nakanishi, and David E. James; 131(10), 762-70 (2005).

Campoy, José M.
Discussion of "Intersection Construction Cost Functions for Alignment Optimization," by Eungcheol Kim, Manoj K. Jha, and Paul Schonfeld. — Alfredo García and José M. Campoy; 131(9), 722-3 (2005).

Cansiz, Ömer F.
Improvements to G4(RW) Strong-Post Round-Wood, W-Beam Guardrail System. — Ali O. Atahan and Ömer F. Cansiz; 131(1), 63-73 (2005).

Carlson, Paul
Exploration of the Relationships between Operating Speed and Roadway Features on Tangent Sections. — Kay Fitzpatrick, Shaw-Pin Miaou, Marcus Brewer, Paul Carlson, and Mark D. Wooldridge; 131(4), 261-9 (2005).

Carrier, W. David, III
Discussion of "Modulus of Soil Reaction (E') Values for Pipeline Design," by Jey K. Jeyapalan and Reynold Watkins. — W. David Carrier, III; 131(8), 644 (2005).

Chae, Kosok
Exploratory Simulation of Pedestrian Crossings at Roundabouts. — Nagui Rouphail, Ron Hughes, and Kosok Chae; 131(3), 211-8 (2005).

Chang, David J.
Vehicle Speed Profiles to Minimize Work and Fuel Consumption. — David J. Chang and Edward K. Morlok; 131(3), 173-82 (2005).

Chang, Gang-Len
Saturation Flow Rates and Maximum Critical Lane Volumes for Planning Applications in Maryland. — Jenish Joseph and Gang-Len Chang; 131(12), 946-52 (2005).

Chang, Kerwin
Potential Effects of Wet Conditions on Signalized Intersection LOS. — Panos D. Prevedouros and Kerwin Chang; 131(12), 898-903 (2005).

Chang, Myungsoon
Real-Time Estimation of Accident Likelihood for Safety Enhancement. — Jun-Seok Oh, Cheol Oh, Stephen G. Ritchie, and Myungsoon Chang; 131(5), 358-63 (2005).

Chassiakos, Athanasios P.
Development of Decision-Support System for Managing Highway Safety. — Athanasios P. Chassiakos, Christina Panagolia, and Dimitrios D. Theodorakopoulos; 131(5), 364-73 (2005).

Chen, Anthony
Examining the Quality of Synthetic Origin–Destination Trip Table Estimated by Path Flow Estimator. — Anthony Chen, Piya Chootinan, and Will W. Recker; 131(7), 506-13 (2005).

Chen, Chun-Hung
Work Zone Lengths for a Four-Lane Road with an Alternate Route. — Chun-Hung Chen and Paul Schonfeld; 131(10), 780-9 (2005).

Cheng, DingXin
Development of an Improved Cycle Length Model over the *Highway Capacity Manual 2000* Quick Estimation Method. — DingXin Cheng, Zong Z. Tian, and Carroll J. Messer; 131(12), 890-7 (2005).

Cheu, Ruey Long
Multiobjective Vehicle Routing and Scheduling Problem with Time Window Constraints in Hazardous Material Transportation. — Qiang Meng, Der-Horng Lee, and Ruey Long Cheu; 131(9), 699-707 (2005).

Chilukuri, Venkat
Validation of HCM Pedestrian Delay Model for Interrupted Facilities. — Venkat Chilukuri and Mark R. Virkler; 131(12), 939-45 (2005).

Chodur, Janusz
Capacity Models and Parameters for Unsignalized Urban Intersections in Poland. — Janusz Chodur; 131(12), 924-30 (2005).

Chootinan, Piya
Examining the Quality of Synthetic Origin–Destination Trip Table Estimated by Path Flow Estimator. — Anthony Chen, Piya Chootinan, and Will W. Recker; 131(7), 506-13 (2005).

Chou, Shao-Fan
Assessment of Construction Smoothness Specification Pay Factor Limits Using Artificial Neural Network Modeling. — Shao-Fan Chou and Terhi K. Pellinen; 131(7), 563-70 (2005).

Chowdhury, Mashrur
Prohibiting Left-Turn Movements at Mid-Block Unsignalized Driveways: Simulation Analysis. — Mashrur Chowdhury, Nichole Derov, Paulin Tan, and Adel Sadek; 131(4), 279-85 (2005).

Cohn, Louis F.
Effect of On-Ramp Geometric and Operational Factors on Vehicle Activity. — Paul R. Lederer, Louis F. Cohn, Randall Guensler, and Roswell A. Harris; 131(1), 18-26 (2005).

Coifman, Benjamin
Improved Speed Estimates from Freeway Traffic Detectors. — Manish Jain and Benjamin Coifman; 131(7), 483-95 (2005).

Collop, Andrew C.
Effect of Bond Condition on Flexible Pavement Performance. — Mariana R. Kruntcheva, Andrew C. Collop, and Nicholas H. Thom; 131(11), 880-8 (2005).

Coon, Brian A.
Crash Reconstruction Technique for Longitudinal Barriers. — Brian A. Coon and John D. Reid; 131(1), 54-62 (2005).

Crispino, Maurizio
New Method to Assess Ride Safety on Uneven Element Pavements. — Maurizio Crispino, Alessandro Tasora, and Emmanuele Vaghi; 131(1), 27-36 (2005).

Dabbour, Essam
Offsetting Opposing Left-Turn Lanes for Intersections on Horizontal Curves. — Said M. Easa, Muhammad Z. A. Ali, and Essam Dabbour; 131(11), 835-42 (2005).

Derov, Nichole
Prohibiting Left-Turn Movements at Mid-Block Unsignalized Driveways: Simulation Analysis. — Mashrur Chowdhury, Nichole Derov, Paulin Tan, and Adel Sadek; 131(4), 279-85 (2005).

Dhingra, S. L.
Feeder Bus Routes Generation within Integrated Mass Transit Planning Framework. — Ashish Verma and S. L. Dhingra; 131(11), 822-34 (2005).

Dietrich, Bruce
Use of Recurrent Markov Chains for Modeling the Crack Performance of Flexible Pavements. — Jidong Yang, Manjriker Gunaratne, Jian John Lu, and Bruce Dietrich; 131(11), 861-72 (2005).

Disegni, Rodrigo
Comparative Analysis of Travel Impacts between the Design-Build and Traditional Building Methods. — Aleksandar Z. Stevanovic, Peter T. Martin, and Rodrigo Disegni; 131(9), 708-16 (2005).

Dixon, Michael P.
Population Origin–Destination Estimation Using Automatic Vehicle Identification and Volume Data. — Michael P. Dixon and L. R. Rilett; 131(2), 75-82 (2005).

Downs, Thomas M.
Is There a Future for the Federal Surface Transportation Program? — Thomas M. Downs; 131(6), 393-6 (2005).

Duncan, Lynette K.
Low-Speed Horizontal Curve Friction Factors. — J. L. Gattis, B. Finley Vinson, III, and Lynette K. Duncan; 131(2), 112-9 (2005).

Durrans, S. Rocky
Federal Highway Administration Vehicle Classification from Video Data and a Disaggregation Model. — Andrew J. Graettinger, Ramgiridhar R. Kilim, Meghavardhan R. Govindu, Philip W. Johnson, and S. Rocky Durrans; 131(9), 689-98 (2005).

Easa, Said
Modeling Driver Visual Demand on Complex Horizontal Alignments. — Said Easa and Chandi Ganguly; 131(8), 583-90 (2005).

Easa, Said M.
Modified Guidelines for Left-Turn Lane Geometry at Intersections. — Said M. Easa and Muhammad Z. A. Ali; 131(9), 677-88 (2005).
Offsetting Opposing Left-Turn Lanes for Intersections on Horizontal Curves. — Said M. Easa, Muhammad Z. A. Ali, and Essam Dabbour; 131(11), 835-42 (2005).

El-Desouky, Magdy
Heavy Off-Road Vehicle Tire-Pavement Interactions and Response. — Raj V. Siddharthan, Peter E. Sebaaly, Magdy El-Desouky, Dan Strand, and David Huft; 131(3), 239-47 (2005).

Elefteriadou, Lily
Some Guidelines for Selecting Microsimulation Models for Interchange Traffic Operational Analysis. — Fang Clara Fang and Lily Elefteriadou; 131(7), 535-43 (2005).

Elliott, John R.
Active Warning Systems: Synthesis. — Virginia P. Sisiopiku and John R. Elliott; 131(3), 205-10 (2005).

Elseifi, Mostafa A.
Effectiveness of Steel Reinforcing Nettings in Combating Fatigue Cracking in New Flexible Pavement Systems. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(1), 37-45 (2005).
Modeling of Strain Energy Absorbers for Rehabilitated Cracked Flexible Pavements. — Mostafa A. Elseifi and Imad L. Al-Qadi; 131(9), 653-61 (2005).

Ergun, Murat
Prediction of Road Surface Friction Coefficient Using Only Macro- and Microtexture Measurements. — Murat Ergun, Sukriye Iyinam, and A. Faik Iyinam; 131(4), 311-9 (2005).

Fan, Henry S. L.
Transferability of Expressway Incident Detection Algorithms to Singapore and Melbourne. — Chin Long Mak and Henry S. L. Fan; 131(2), 101-11 (2005).

Fang, Fang Clara
Some Guidelines for Selecting Microsimulation Models for Interchange Traffic Operational Analysis. — Fang Clara Fang and Lily Elefteriadou; 131(7), 535-43 (2005).

Fang, Hongbing
Determining Layer Contributions to Rutting by Surface Profile Analysis. — John E. Haddock, Adam J. T. Hand, Hongbing Fang, and Thomas D. White; 131(2), 131-9 (2005).

Feng, Chuen
Video-Capture-Based Approach to Extract Multiple Vehicular Trajectory Data for Traffic Modeling. — Heng Wei, Chuen Feng, Eric Meyer, and Joe Lee; 131(7), 496-505 (2005).

Feng, Chunxia
Multiple Imputation Scheme for Overcoming the Missing Values and Variability Issues in ITS Data. — Daiheng Ni, John D. Leonard, II, Angshuman Guin, and Chunxia Feng; 131(12), 931-8 (2005).

Feng, Xin
Practical, Interactive, and Object-Oriented Machine Vision for Highway Crack Sealing. — Xin Feng, Rene Mathurin, and Steven A. Velinsky; 131(6), 451-9 (2005).

Finley Vinson, B., III
Low-Speed Horizontal Curve Friction Factors. — J. L. Gattis, B. Finley Vinson, III, and Lynette K. Duncan; 131(2), 112-9 (2005).

Fitzpatrick, Kay
Exploration of the Relationships between Operating Speed and Roadway Features on Tangent Sections. — Kay Fitzpatrick, Shaw-Pin Miaou, Marcus Brewer, Paul Carlson, and Mark D. Wooldridge; 131(4), 261-9 (2005).

Foil, Shannon L.
Accuracy of the HCM 2000 Queue Clearance Model: Case of Multiple Approach Lanes with Shared Left Turns and Multiple Opposing Lanes. — Shannon L. Foil and Mohammad A. Qureshi; 131(12), 912-6 (2005).

Fwa, T. F.
Wavelet Analysis and Interpretation of Road Roughness. — Liu Wei, T. F. Fwa, and Zhao Zhe; 131(2), 120-30 (2005).

Gan, Liping
Traffic Counting Location and Error Bound in Origin-Destination Matrix Estimation Problems. — Liping Gan, Hai Yang, and Sze Chun Wong; 131(7), 524-34 (2005).

Ganguly, Chandi
Modeling Driver Visual Demand on Complex Horizontal Alignments. — Said Easa and Chandi Ganguly; 131(8), 583-90 (2005).

García, Alfredo
Discussion of "Intersection Construction Cost Functions for Alignment Optimization," by Eungcheol Kim, Manoj K. Jha, and Paul Schonfeld. — Alfredo García and José M. Campoy; 131(9), 722-3 (2005).

Garvey, Philip M.
Impact of Sign Orientation on On-Premise Commercial Signs. — Abdulilah Z. Zineddin, Philip M. Garvey, and Martin T. Pietrucha; 131(1), 11-7 (2005).

Gassman, S. L.
Field Performance of High Density Polyethylene Culvert Pipe. — S. L. Gassman, A. J. Schroeder, and R. P. Ray; 131(2), 160-7 (2005).

Gattis, J. L.
Low-Speed Horizontal Curve Friction Factors. — J. L. Gattis, B. Finley Vinson, III, and Lynette K. Duncan; 131(2), 112-9 (2005).

Goh, P. K.
New Level-of-Service Standard for Signalized Crosswalks with Bi-Directional Pedestrian Flows. — Jodie Y. S. Lee, P. K. Goh, and William H. K. Lam; 131(12), 957-60 (T) (2005).

Govindu, Meghavardhan R.
Federal Highway Administration Vehicle Classification from Video Data and a Disaggregation Model. — Andrew J. Graettinger, Ramgiridhar R. Kilim, Meghavardhan R. Govindu, Philip W. Johnson, and S. Rocky Durrans; 131(9), 689-98 (2005).

Graettinger, Andrew J.
Federal Highway Administration Vehicle Classification from Video Data and a Disaggregation Model. — Andrew J. Graettinger, Ramgiridhar R. Kilim, Meghavardhan R. Govindu, Philip W. Johnson, and S. Rocky Durrans; 131(9), 689-98 (2005).

Gransberg, Douglas D.
Analysis of Emulsion and Hot Asphalt Cement Chip Seal Performance. — Douglas D. Gransberg and Musharraf Zaman; 131(3), 229-38 (2005).

Guensler, Randall
Effect of On-Ramp Geometric and Operational Factors on Vehicle Activity. — Paul R. Lederer, Louis F. Cohn, Randall Guensler, and Roswell A. Harris; 131(1), 18-26 (2005).

Guin, Angshuman
Multiple Imputation Scheme for Overcoming the Missing Values and Variability Issues in ITS Data. — Daiheng Ni, John D. Leonard, II, Angshuman Guin, and Chunxia Feng; 131(12), 931-8 (2005).

Gunaratne, M.
Guidelines for Performance Assessment of Digital Imaging Systems Used in Highway Applications. — A. Mraz, M. Gunaratne, and A. Nazef; 131(6), 429-43 (2005).

Gunaratne, Manjriker
Use of Recurrent Markov Chains for Modeling the Crack Performance of Flexible Pavements. — Jidong Yang, Manjriker Gunaratne, Jian John Lu, and Bruce Dietrich; 131(11), 861-72 (2005).

Guth, David
Street Crossing by Sighted and Blind Pedestrians at a Modern Roundabout. — Daniel H. Ashmead, David Guth, Robert S. Wall, Richard G. Long, and Paul E. Ponchillia; 131(11), 812-21 (2005).

Haddock, John E.
Determining Layer Contributions to Rutting by Surface Profile Analysis. — John E. Haddock, Adam J. T. Hand, Hongbing Fang, and Thomas D. White; 131(2), 131-9 (2005).

Hajj, Elie Y.
Fatigue Characteristics of Superpave and Hveem Mixtures. — Elie Y. Hajj, Peter E. Sebaaly, and Dean Weitzel; 131(4), 302-10 (2005).

Hancher, Donn E.
Survival Analysis of Fatigue Cracking for Flexible Pavements Based on Long-Term Pavement Performance Data. — Yuhong Wang, Kamyar C. Mahboub, and Donn E. Hancher; 131(8), 608-16 (2005).

Hand, Adam J. T.
Determining Layer Contributions to Rutting by Surface Profile Analysis. — John E. Haddock, Adam J. T. Hand, Hongbing Fang, and Thomas D. White; 131(2), 131-9 (2005).

Hansen, Mark
Procedural and Operational Consequences of Navigational Equipment Outages: Exploration of Airport Performance. — Jasenka Rakas, Huifang Yin, and Mark Hansen; 131(10), 790-801 (2005).

Harris, Roswell A.
Effect of On-Ramp Geometric and Operational Factors on Vehicle Activity. — Paul R. Lederer, Louis F. Cohn, Randall Guensler, and Roswell A. Harris; 131(1), 18-26 (2005).

Hassan, Y.
Modeling Operating Speed and Speed Differential on Two-Lane Rural Roads. — P. Misaghi and Y. Hassan; 131(6), 408-18 (2005).

Hauer, Ezra
The Road Ahead. — Ezra Hauer; 131(5), 333-9 (2005).
Fishing for Safety Information in Murky Waters. — Ezra Hauer; 131(5), 340-4 (2005).

Heiner, Jared D.
Costs of Right-of-Way Acquisition: Methods and Models for Estimation. — Jared D. Heiner and Kara M. Kockelman; 131(3), 193-204 (2005).

Hiller, Jacob E.
Determination of Critical Concrete Pavement Fatigue Damage Locations Using Influence Lines. — Jacob E. Hiller and Jeffery R. Roesler; 131(8), 599-607 (2005).

Horowitz, Alan J.
The Network Signal Design Problem for Long-Range Travel Forecasting. — Alan J. Horowitz and Minnie H. Patel; 131(3), 183-92 (2005).

Huft, David
Heavy Off-Road Vehicle Tire-Pavement Interactions and Response. — Raj V. Siddharthan, Peter E. Sebaaly, Magdy El-Desouky, Dan Strand, and David Huft; 131(3), 239-47 (2005).

Hughes, Roger L.
Exploring Trampling and Crushing in a Crowd. — Ris S. C. Lee and Roger L. Hughes; 131(8), 575-82 (2005).

Hughes, Ron
Exploratory Simulation of Pedestrian Crossings at Roundabouts. — Nagui Rouphail, Ron Hughes, and Kosok Chae; 131(3), 211-8 (2005).

Ivan, John N.
Hierarchical Bayesian Estimation of Safety Performance Functions for Two-Lane Highways Using Markov Chain Monte Carlo Modeling. — Xiao Qin, John N. Ivan, Nalini Ravishanker, and Junfeng Liu; 131(5), 345-51 (2005).

Iyinam, A. Faik
Prediction of Road Surface Friction Coefficient Using Only Macro- and Microtexture Measurements. — Murat Ergun, Sukriye Iyinam, and A. Faik Iyinam; 131(4), 311-9 (2005).

Iyinam, Sukriye
Prediction of Road Surface Friction Coefficient Using Only Macro- and Microtexture Measurements. — Murat Ergun, Sukriye Iyinam, and A. Faik Iyinam; 131(4), 311-9 (2005).

Jagannathan, Ramanujan
Crash Comparison of Single Point and Tight Diamond Interchanges. — Joe Bared, Alvin Powell, Evangelos Kaisar, and Ramanujan Jagannathan; 131(5), 379-81 (2005).

Jain, Manish
Improved Speed Estimates from Freeway Traffic Detectors. — Manish Jain and Benjamin Coifman; 131(7), 483-95 (2005).

Jain, S. S.
HDM-4 Pavement Deterioration Models for Indian National Highway Network. — S. S. Jain, Sanjiv Aggarwal, and M. Parida; 131(8), 623-31 (2005).

James, David E.
Modeling Vehicle Emissions in Hot-Stabilized Conditions Using a Simultaneous Equations Model. — Hualiang (Harry) Teng, Yi (Grace) Qi, Joon H. Byun, Yuko Nakanishi, and David E. James; 131(10), 762-70 (2005).

Jang, Tae Youn
Count Data Models for Trip Generation. — Tae Youn Jang; 131(6), 444-50 (2005).

Janić, Milan
Modeling the Large Scale Disruptions of an Airline Network. — Milan Janić; 131(4), 249-60 (2005).

Jeong, Jin-Hoon
Environmental Effects on the Behavior of Jointed Plain Concrete Pavements. — Jin-Hoon Jeong and Dan G. Zollinger; 131(2), 140-8 (2005).

Jeyapalan, Jey K.
Closure to "Modulus of Soil Reaction (E') Values for Pipeline Design" by Jey K. Jeyapalan and Reynold Watkins. — Jey K. Jeyapalan and Reynold Watkins; 131(8), 644 (2005).
Unified Design Method for Most No-Dig Rehabilitation Liners. — Jey K. Jeyapalan; 131(9), 717-21 (2005).

Jha, Manoj K.
Closure to "Intersection Construction Cost Functions for Alignment Optimization," by Eungcheol Kim, Manoj K. Jha, and Paul Schonfeld. — Eungcheol Kim, Manoj K. Jha, and Paul Schonfeld; 131(9), 723 (2005).

Jiang, Xiaomo
Dynamic Wavelet Neural Network Model for Traffic Flow Forecasting. — Xiaomo Jiang and Hojjat Adeli; 131(10), 771-9 (2005).

Johnson, Philip W.
Federal Highway Administration Vehicle Classification from Video Data and a Disaggregation Model. — Andrew J. Graettinger, Ramgiridhar R. Kilim, Meghavardhan R. Govindu, Philip W. Johnson, and S. Rocky Durrans; 131(9), 689-98 (2005).

Joseph, Jenish
Saturation Flow Rates and Maximum Critical Lane Volumes for Planning Applications in Maryland. — Jenish Joseph and Gang-Len Chang; 131(12), 946-52 (2005).

Jung, Younghan
Developing Passenger Car Equivalency Factors for Heavy Vehicles during Congestion. — Ahmed Al-Kaisy, Younghan Jung, and Hesham Rakha; 131(7), 514-23 (2005).

Kacir, Kent C.
Evaluation of Traffic Signal Displays for Protected-Permissive Left-Turn Control Using Driving Simulator Technology. — Michael A. Knodler, Jr., David A. Noyce, Kent C. Kacir, and Christopher L. Brehmer; 131(4), 270-8 (2005).

Kaisar, Evangelos
Crash Comparison of Single Point and Tight Diamond Interchanges. — Joe Bared, Alvin Powell, Evangelos Kaisar, and Ramanujan Jagannathan; 131(5), 379-81 (2005).

Kalyoncuoglu, S. Figen
Why Different Fatigue Lives? Answer Is in the Tomograms. — S. Figen Kalyoncuoglu; 131(10), 725-31 (2005).

Kashani, M.
Installation Load Consideration in Ultra-Deepwater Pipeline Sizing. — M. Kashani and R. Young; 131(8), 632-9 (2005).

Kilim, Ramgiridhar R.
Federal Highway Administration Vehicle Classification from Video Data and a Disaggregation Model. — Andrew J. Graettinger, Ramgiridhar R. Kilim, Meghavardhan R. Govindu, Philip W. Johnson, and S. Rocky Durrans; 131(9), 689-98 (2005).

Kim, Daehyeon
Effects of Supersingle Tire Loadings on Pavements. — Daehyeon Kim, Rodrigo Salgado, and Adolph G. Altschaeffl; 131(10), 732-43 (2005).

Kim, Eungcheol
Closure to "Intersection Construction Cost Functions for Alignment Optimization," by Eungcheol Kim, Manoj K. Jha, and Paul Schonfeld. — Eungcheol Kim, Manoj K. Jha, and Paul Schonfeld; 131(9), 723 (2005).

Kim, Sang-Ock
Comparison of Control Delays from *CORSIM* and the*Highway Capacity Manual* for Oversaturated Signalized Intersections. — Sang-Ock Kim and R. F. Benekohal; 131(12), 917-23 (2005).

Knodler, Michael A., Jr.
Evaluation of Traffic Signal Displays for Protected-Permissive Left-Turn Control Using Driving Simulator Technology. — Michael A. Knodler, Jr., David A. Noyce, Kent C. Kacir, and Christopher L. Brehmer; 131(4), 270-8 (2005).

Kockelman, Kara M.
Costs of Right-of-Way Acquisition: Methods and Models for Estimation. — Jared D. Heiner and Kara M. Kockelman; 131(3), 193-204 (2005).

Kohler, Erwin R.
Crack Width Measurements in Continuously Reinforced Concrete Pavements. — Erwin R. Kohler and Jeffery R. Roesler; 131(9), 645-52 (2005).

Koshy, Reebu Zachariah
Methodology for Modeling Highly Heterogeneous Traffic Flow. — V. Thamizh Arasan and Reebu Zachariah Koshy; 131(7), 544-51 (2005).
Influence of Bus Stops on Flow Characteristics of Mixed Traffic. — Reebu Zachariah Koshy and V. Thamizh Arasan; 131(8), 640-3 (T) (2005).

Kruntcheva, Mariana R.
Effect of Bond Condition on Flexible Pavement Performance. — Mariana R. Kruntcheva, Andrew C. Collop, and Nicholas H. Thom; 131(11), 880-8 (2005).

Labi, Samuel, Reviewer
Review of *Pavement Design and Analysis* by Yang H. Huang. — Samuel Labi, Reviewer; 131(6), 482 (B) (2005).

Labi, Samuel
Life-Cycle Evaluation of Flexible Pavement Preventive Maintenance. — Samuel Labi and Kumares C. Sinha; 131(10), 744-51 (2005).

Lam, William H. K.
New Level-of-Service Standard for Signalized Crosswalks with Bi-Directional Pedestrian Flows. — Jodie Y. S. Lee, P. K. Goh, and William H. K. Lam; 131(12), 957-60 (T) (2005).

Lastra, Soledad
Producing a Free–Flow Model for the First Chilean Freeway Using *Highway Capacity Manual 2000*. — Guillermo Thenoux and Soledad Lastra; 131(12), 961-2 (T) (2005).

Leal, Monica T.
Empirical Study of Traffic Features at a Freeway Lane Drop. — Robert L. Bertini and Monica T. Leal; 131(6), 397-407 (2005).

Lederer, Paul R.
Effect of On-Ramp Geometric and Operational Factors on Vehicle Activity. — Paul R. Lederer, Louis F. Cohn, Randall Guensler, and Roswell A. Harris; 131(1), 18-26 (2005).

Lee, Der-Horng
Multiobjective Vehicle Routing and Scheduling Problem with Time Window Constraints in Hazardous Material Transportation. — Qiang Meng, Der-Horng Lee, and Ruey Long Cheu; 131(9), 699-707 (2005).

Lee, Eul-Bum
Planning Urban Highway Reconstruction with Traffic Demand Affected by Construction Schedule. — Eul-Bum Lee, David Thomas, and Loren Bloomberg; 131(10), 752-61 (2005).

Lee, Jodie Y. S.
New Level-of-Service Standard for Signalized Crosswalks with Bi-Directional Pedestrian Flows. — Jodie Y. S. Lee, P. K. Goh, and William H. K. Lam; 131(12), 957-60 (T) (2005).

Lee, Joe
Traffic-Count Based Distribution Model for Site Impact Studies (TE-22904). — Hanwen Yi, Thomas E. Mulinazzi, and Joe Lee; 131(4), 286-93 (2005).
Video-Capture-Based Approach to Extract Multiple Vehicular Trajectory Data for Traffic Modeling. — Heng Wei, Chuen Feng, Eric Meyer, and Joe Lee; 131(7), 496-505 (2005).

Lee, Ris S. C.
Exploring Trampling and Crushing in a Crowd. — Ris S. C. Lee and Roger L. Hughes; 131(8), 575-82 (2005).

Lee, Young-Jae
Transit Network Design with Variable Demand. — Young-Jae Lee and Vukan R. Vuchic; 131(1), 1-10 (2005).

Leonard, John D., II
Multiple Imputation Scheme for Overcoming the Missing Values and Variability Issues in ITS Data. — Daiheng Ni, John D. Leonard, II, Angshuman Guin, and Chunxia Feng; 131(12), 931-8 (2005).

Levinson, David
Balancing Efficiency and Equity of Ramp Meters. — Lei Zhang and David Levinson; 131(6), 477-81 (T) (2005).

Liu, Junfeng
Hierarchical Bayesian Estimation of Safety Performance Functions for Two-Lane Highways Using Markov Chain Monte Carlo Modeling. — Xiao Qin, John N. Ivan, Nalini Ravishanker, and Junfeng Liu; 131(5), 345-51 (2005).

Liu, Yinhui
Asphalt Overlay and Subsurface Drainage of Broken and Seated Concrete Pavement. — Kamyar C. Mahboub, Yinhui Liu, and David L. Allen; 131(8), 617-22 (2005).

Long, Richard G.
Street Crossing by Sighted and Blind Pedestrians at a Modern Roundabout. — Daniel H. Ashmead, David Guth, Robert S. Wall, Richard G. Long, and Paul E. Ponchillia; 131(11), 812-21 (2005).

Lu, Jian John
Use of Recurrent Markov Chains for Modeling the Crack Performance of Flexible Pavements. — Jidong Yang, Manjriker Gunaratne, Jian John Lu, and Bruce Dietrich; 131(11), 861-72 (2005).

Magnusson, Rolf
Repeatability in Crack Data Collection on Flexible Pavements: Comparison between Surveys Using Video Cameras, Laser Cameras, and a Simplified Manual Survey. — Petra Offrell, Leif Sjögren, and Rolf Magnusson; 131(7), 552-62 (2005).

Mahboub, Kamyar C.
Survival Analysis of Fatigue Cracking for Flexible Pavements Based on Long-Term Pavement Performance Data. — Yuhong Wang, Kamyar C. Mahboub, and Donn E. Hancher; 131(8), 608-16 (2005).
Asphalt Overlay and Subsurface Drainage of Broken and Seated Concrete Pavement. — Kamyar C. Mahboub, Yinhui Liu, and David L. Allen; 131(8), 617-22 (2005).

Mak, Chin Long
Transferability of Expressway Incident Detection Algorithms to Singapore and Melbourne. — Chin Long Mak and Henry S. L. Fan; 131(2), 101-11 (2005).

Martin, Amy Epps
Effects of Nonuniform Tire Contact Stresses on Pavement Response. — Dae-Wook Park, Amy Epps Martin, and Eyad Masad; 131(11), 873-9 (2005).

Martin, Peter T.
Comparative Analysis of Travel Impacts between the Design-Build and Traditional Building Methods. — Aleksandar Z. Stevanovic, Peter T. Martin, and Rodrigo Disegni; 131(9), 708-16 (2005).

Masad, Eyad
Effects of Nonuniform Tire Contact Stresses on Pavement Response. — Dae-Wook Park, Amy Epps Martin, and Eyad Masad; 131(11), 873-9 (2005).

Mathurin, Rene
Practical, Interactive, and Object-Oriented Machine Vision for Highway Crack Sealing. — Xin Feng, Rene Mathurin, and Steven A. Velinsky; 131(6), 451-9 (2005).

Mazumdar, M.
Structural Behavior of Cast In Situ Concrete Block Pavement. — Teiborlang L. Ryntathiang, M. Mazumdar, and B. B. Pandey; 131(9), 662-8 (2005).

Meng, Qiang
Multiobjective Vehicle Routing and Scheduling Problem with Time Window Constraints in Hazardous Material Transportation. — Qiang Meng, Der-Horng Lee, and Ruey Long Cheu; 131(9), 699-707 (2005).

Messer, Carroll J.
Development of an Improved Cycle Length Model over the *Highway Capacity Manual 2000* Quick Estimation Method. — DingXin Cheng, Zong Z. Tian, and Carroll J. Messer; 131(12), 890-7 (2005).

Meyer, Eric
Video-Capture-Based Approach to Extract Multiple Vehicular Trajectory Data for Traffic Modeling. — Heng Wei, Chuen Feng, Eric Meyer, and Joe Lee; 131(7), 496-505 (2005).

Miaou, Shaw-Pin
Exploration of the Relationships between Operating Speed and Roadway Features on Tangent Sections. — Kay Fitzpatrick, Shaw-Pin Miaou, Marcus Brewer, Paul Carlson, and Mark D. Wooldridge; 131(4), 261-9 (2005).

Minocha, Vijay K.
Discussion of "Impact Stops on Vehicle Fuel Consumption and Emissions" by Hesham Rakha and Yonglian Ding. — Vijay K. Minocha; 131(7), 571 (2005).

Misaghi, P.
Modeling Operating Speed and Speed Differential on Two-Lane Rural Roads. — P. Misaghi and Y. Hassan; 131(6), 408-18 (2005).

Mitri, Hani
Three-Dimensional Dynamic Analysis of Flexible Conventional Pavement Foundation. — Bassam Saad, Hani Mitri, and Hormoz Poorooshasb; 131(6), 460-9 (2005).

Morlok, Edward K.
Vehicle Speed Profiles to Minimize Work and Fuel Consumption. — David J. Chang and Edward K. Morlok; 131(3), 173-82 (2005).
Reducing Boarding and Alighting Accident Rates on Mixed High and Low Platform Railroad Lines through Car and Station Design. — Edward K. Morlok and Bradley F. Nitzberg; 131(5), 382-91 (2005).

Mraz, A.
Guidelines for Performance Assessment of Digital Imaging Systems Used in Highway Applications. — A. Mraz, M. Gunaratne, and A. Nazef; 131(6), 429-43 (2005).

Mulinazzi, Thomas E.
Traffic-Count Based Distribution Model for Site Impact Studies (TE-22904). — Hanwen Yi, Thomas E. Mulinazzi, and Joe Lee; 131(4), 286-93 (2005).

Nakanishi, Yuko
Modeling Vehicle Emissions in Hot-Stabilized Conditions Using a Simultaneous Equations Model. — Hualiang (Harry) Teng, Yi (Grace) Qi, Joon H. Byun, Yuko Nakanishi, and David E. James; 131(10), 762-70 (2005).

Nazef, A.
Guidelines for Performance Assessment of Digital Imaging Systems Used in Highway Applications. — A. Mraz, M. Gunaratne, and A. Nazef; 131(6), 429-43 (2005).

Ni, Daiheng
Multiple Imputation Scheme for Overcoming the Missing Values and Variability Issues in ITS Data. — Daiheng Ni, John D. Leonard, II, Angshuman Guin, and Chunxia Feng; 131(12), 931-8 (2005).

Nitzberg, Bradley F.
Reducing Boarding and Alighting Accident Rates on Mixed High and Low Platform Railroad Lines through Car and Station Design. — Edward K. Morlok and Bradley F. Nitzberg; 131(5), 382-91 (2005).

Noyce, David A.
Evaluation of Traffic Signal Displays for Protected-Permissive Left-Turn Control Using Driving Simulator Technology. — Michael A. Knodler, Jr., David A. Noyce, Kent C. Kacir, and Christopher L. Brehmer; 131(4), 270-8 (2005).

Offrell, Petra
Repeatability in Crack Data Collection on Flexible Pavements: Comparison between Surveys Using Video Cameras, Laser Cameras, and a Simplified Manual Survey. — Petra Offrell, Leif Sjögren, and Rolf Magnusson; 131(7), 552-62 (2005).

Ögüt, Kemal Selçuk
New Approaches for the Earth Distribution Method. — Kemal Selçuk Ögüt; 131(4), 294-301 (2005).

Oh, Cheol
Real-Time Estimation of Accident Likelihood for Safety Enhancement. — Jun-Seok Oh, Cheol Oh, Stephen G. Ritchie, and Myungsoon Chang; 131(5), 358-63 (2005).

Oh, Jun-Seok
Real-Time Estimation of Accident Likelihood for Safety Enhancement. — Jun-Seok Oh, Cheol Oh, Stephen G. Ritchie, and Myungsoon Chang; 131(5), 358-63 (2005).

Özuysal, Mustafa
Determining the Capacity of Single-Lane Roundabouts in Izmir, Turkey. — Serhan Tanyel, Türkay Baran, and Mustafa Özuysal; 131(12), 953-6 (T) (2005).

Panagolia, Christina
Development of Decision-Support System for Managing Highway Safety. — Athanasios P. Chassiakos, Christina Panagolia, and Dimitrios D. Theodorakopoulos; 131(5), 364-73 (2005).

Pandey, B. B.
Structural Behavior of Cast In Situ Concrete Block Pavement. — Teiborlang L. Ryntathiang, M. Mazumdar, and B. B. Pandey; 131(9), 662-8 (2005).

Parida, M.
HDM-4 Pavement Deterioration Models for Indian National Highway Network. — S. S. Jain, Sanjiv Aggarwal, and M. Parida; 131(8), 623-31 (2005).

Park, Dae-Wook
Effects of Nonuniform Tire Contact Stresses on Pavement Response. — Dae-Wook Park, Amy Epps Martin, and Eyad Masad; 131(11), 873-9 (2005).

Patel, Minnie H.
The Network Signal Design Problem for Long-Range Travel Forecasting. — Alan J. Horowitz and Minnie H. Patel; 131(3), 183-92 (2005).

Pellinen, Terhi K.
Assessment of Construction Smoothness Specification Pay Factor Limits Using Artificial Neural Network Modeling. — Shao-Fan Chou and Terhi K. Pellinen; 131(7), 563-70 (2005).

Perez-Cartagena, Rafael I.
Calibration of Capacity Parameters for Signalized Intersections in Indiana. — Rafael I. Perez-Cartagena and Andrew P. Tarko; 131(12), 904-11 (2005).

Pietrucha, Martin T.
Impact of Sign Orientation on On-Premise Commercial Signs. — Abdulilah Z. Zineddin, Philip M. Garvey, and Martin T. Pietrucha; 131(1), 11-7 (2005).

Ponchillia, Paul E.
Street Crossing by Sighted and Blind Pedestrians at a Modern Roundabout. — Daniel H. Ashmead, David Guth, Robert S. Wall, Richard G. Long, and Paul E. Ponchillia; 131(11), 812-21 (2005).

Poorooshasb, Hormoz
Three-Dimensional Dynamic Analysis of Flexible Conventional Pavement Foundation. — Bassam Saad, Hani Mitri, and Hormoz Poorooshasb; 131(6), 460-9 (2005).

Powell, Alvin
Crash Comparison of Single Point and Tight Diamond Interchanges. — Joe Bared, Alvin Powell, Evangelos Kaisar, and Ramanujan Jagannathan; 131(5), 379-81 (2005).

Prevedouros, Panos D.
Potential Effects of Wet Conditions on Signalized Intersection LOS. — Panos D. Prevedouros and Kerwin Chang; 131(12), 898-903 (2005).

Qi, Yi (Grace)
Modeling Vehicle Emissions in Hot-Stabilized Conditions Using a Simultaneous Equations Model. — Hualiang (Harry) Teng, Yi (Grace) Qi, Joon H. Byun, Yuko Nakanishi, and David E. James; 131(10), 762-70 (2005).

Qin, Xiao
Hierarchical Bayesian Estimation of Safety Performance Functions for Two-Lane Highways Using Markov Chain Monte Carlo Modeling. — Xiao Qin, John N. Ivan, Nalini Ravishanker, and Junfeng Liu; 131(5), 345-51 (2005).

Qureshi, Mohammad
A Framework for Assessing Models that Rank Highway-Rail Grade Crossings for Improvement. — Mohammad Qureshi, Sindhu Avalokita, and Naveen Yathapu; 131(5), 352-7 (2005).

Qureshi, Mohammad A.
Accuracy of the HCM 2000 Queue Clearance Model: Case of Multiple Approach Lanes with Shared Left Turns and Multiple Opposing Lanes. — Shannon L. Foil and Mohammad A. Qureshi; 131(12), 912-6 (2005).

Rakas, Jasenka
Procedural and Operational Consequences of Navigational Equipment Outages: Exploration of Airport Performance. — Jasenka Rakas, Huifang Yin, and Mark Hansen; 131(10), 790-801 (2005).

Rakha, Hesham
Modeling the Effect of Heavy Vehicles on Sign Occlusion at Multilane Highways. — Ahmed Al-Kaisy, Jigar Bhatt, and Hesham Rakha; 131(3), 219-28 (2005).
Developing Passenger Car Equivalency Factors for Heavy Vehicles during Congestion. — Ahmed Al-Kaisy, Younghan Jung, and Hesham Rakha; 131(7), 514-23 (2005).
Closure to "Impact Stops on Vehicle Fuel Consumption and Emissions" by Hesham Rakha and Yonglian Ding. — Hesham Rakha; 131(7), 571-3 (2005).

Rao, Shreenath
Characterizing Effective Built-In Curling from Concrete Pavement Field Measurements. — Shreenath Rao and Jeffery R. Roesler; 131(4), 320-7 (2005).

Ravishanker, Nalini
Hierarchical Bayesian Estimation of Safety Performance Functions for Two-Lane Highways Using Markov Chain Monte Carlo Modeling. — Xiao Qin, John N. Ivan, Nalini Ravishanker, and Junfeng Liu; 131(5), 345-51 (2005).

Ray, R. P.
Field Performance of High Density Polyethylene Culvert Pipe. — S. L. Gassman, A. J. Schroeder, and R. P. Ray; 131(2), 160-7 (2005).

Recker, Will W.
Examining the Quality of Synthetic Origin–Destination Trip Table Estimated by Path Flow Estimator. — Anthony Chen, Piya Chootinan, and Will W. Recker; 131(7), 506-13 (2005).

Reid, John D.
Crash Reconstruction Technique for Longitudinal Barriers. — Brian A. Coon and John D. Reid; 131(1), 54-62 (2005).

Reza, Farhad
Changes in Asphalt Pavement Friction Components and Adjustment of Skid Number for Temperature. — Subhi M. Bazlamit and Farhad Reza; 131(6), 470-6 (2005).

Rilett, L. R.
Population Origin–Destination Estimation Using Automatic Vehicle Identification and Volume Data. — Michael P. Dixon and L. R. Rilett; 131(2), 75-82 (2005).

Ritchie, Stephen G.
Real-Time Estimation of Accident Likelihood for Safety Enhancement. — Jun-Seok Oh, Cheol Oh, Stephen G. Ritchie, and Myungsoon Chang; 131(5), 358-63 (2005).

Roesler, Jeffery R.
Characterizing Effective Built-In Curling from Concrete Pavement Field Measurements. — Shreenath Rao and Jeffery R. Roesler; 131(4), 320-7 (2005).
Determination of Critical Concrete Pavement Fatigue Damage Locations Using Influence Lines. — Jacob E. Hiller and Jeffery R. Roesler; 131(8), 599-607 (2005).
Crack Width Measurements in Continuously Reinforced Concrete Pavements. — Erwin R. Kohler and Jeffery R. Roesler; 131(9), 645-52 (2005).

Roschke, Paul N.
Performance of Guardrail Systems Encased in Pavement Mow Strips. — Nathaniel R. Seckinger, Akram Abu-Odeh, Roger P. Bligh, and Paul N. Roschke; 131(11), 851-60 (2005).

Rouphail, Nagui
Exploratory Simulation of Pedestrian Crossings at Roundabouts. — Nagui Rouphail, Ron Hughes, and Kosok Chae; 131(3), 211-8 (2005).

Roy, Tapan Kumar
Multiobjective Entropy Transportation Model with Trapezoidal Fuzzy Number Penalties, Sources, and Destinations. — Bablu Samanta and Tapan Kumar Roy; 131(6), 419-28 (2005).

Ryntathiang, Teiborlang L.
Structural Behavior of Cast In Situ Concrete Block Pavement. — Teiborlang L. Ryntathiang, M. Mazumdar, and B. B. Pandey; 131(9), 662-8 (2005).

Saad, Bassam
Three-Dimensional Dynamic Analysis of Flexible Conventional Pavement Foundation. — Bassam Saad, Hani Mitri, and Hormoz Poorooshasb; 131(6), 460-9 (2005).

Sadek, Adel
Prohibiting Left-Turn Movements at Mid-Block Unsignalized Driveways: Simulation Analysis. — Mashrur Chowdhury, Nichole Derov, Paulin Tan, and Adel Sadek; 131(4), 279-85 (2005).

Salgado, Rodrigo
Effects of Supersingle Tire Loadings on Pavements. — Daehyeon Kim, Rodrigo Salgado, and Adolph G. Altschaeffl; 131(10), 732-43 (2005).

Samanta, Bablu
Multiobjective Entropy Transportation Model with Trapezoidal Fuzzy Number Penalties, Sources, and Destinations. — Bablu Samanta and Tapan Kumar Roy; 131(6), 419-28 (2005).

Schonfeld, Paul
Closure to "Intersection Construction Cost Functions for Alignment Optimization," by Eungcheol Kim, Manoj K. Jha, and Paul Schonfeld. — Eungcheol Kim, Manoj K. Jha, and Paul Schonfeld; 131(9), 723 (2005).
Work Zone Lengths for a Four-Lane Road with an Alternate Route. — Chun-Hung Chen and Paul Schonfeld; 131(10), 780-9 (2005).

Schroeder, A. J.
Field Performance of High Density Polyethylene Culvert Pipe. — S. L. Gassman, A. J. Schroeder, and R. P. Ray; 131(2), 160-7 (2005).

Sebaaly, Peter E.
Heavy Off-Road Vehicle Tire-Pavement Interactions and Response. — Raj V. Siddharthan, Peter E. Sebaaly, Magdy El-Desouky, Dan Strand, and David Huft; 131(3), 239-47 (2005).
Fatigue Characteristics of Superpave and Hveem Mixtures. — Elie Y. Hajj, Peter E. Sebaaly, and Dean Weitzel; 131(4), 302-10 (2005).

Seckinger, Nathaniel R.
Performance of Guardrail Systems Encased in Pavement Mow Strips. — Nathaniel R. Seckinger, Akram Abu-Odeh, Roger P. Bligh, and Paul N. Roschke; 131(11), 851-60 (2005).

Siddharthan, Raj V.
Heavy Off-Road Vehicle Tire-Pavement Interactions and Response. — Raj V. Siddharthan, Peter E. Sebaaly, Magdy El-Desouky, Dan Strand, and David Huft; 131(3), 239-47 (2005).

Sinha, Kumares C.
Introduction to the Journal Editorial Board. — Kumares C. Sinha; 131(3), 169-72 (2005).
Life-Cycle Evaluation of Flexible Pavement Preventive Maintenance. — Samuel Labi and Kumares C. Sinha; 131(10), 744-51 (2005).

Introduction to the Special Issue on Calibration and Validation of the *Highway Capacity Manual* Models. — Kumares C. Sinha; 131(12), 889 (2005).

Sisiopiku, Virginia P.
Active Warning Systems: Synthesis. — Virginia P. Sisiopiku and John R. Elliott; 131(3), 205-10 (2005).

Sjögren, Leif
Repeatability in Crack Data Collection on Flexible Pavements: Comparison between Surveys Using Video Cameras, Laser Cameras, and a Simplified Manual Survey. — Petra Offrell, Leif Sjögren, and Rolf Magnusson; 131(7), 552-62 (2005).

Spacek, Peter
Track Behavior in Curve Areas: Attempt at Typology. — Peter Spacek; 131(9), 669-76 (2005).

Spring, Gary S.
Road Safety: Discussion of State of Practice. — Gary S. Spring; 131(5), 329-32 (2005).

Stamatiadis, Nikiforos
Context-Sensitive Design: Issues with Design Elements. — Nikiforos Stamatiadis; 131(5), 374-8 (2005).

Stathopoulos, A.
Quasidynamic Network Assignment Procedure with Transient Demand Matrices. — T. Tsekeris and A. Stathopoulos; 131(2), 89-100 (2005).
Discussion of "Multiple-Vehicle Origin–Destination Matrix Estimation from Traffic Counts Using Genetic Algorithm" by Seungkirl Baek, Hyunmyung Kim, and Yongtaek Lim. — T. Tsekeris and A. Stathopoulos; 131(10), 809-10 (2005).

Stevanovic, Aleksandar Z.
Comparative Analysis of Travel Impacts between the Design-Build and Traditional Building Methods. — Aleksandar Z. Stevanovic, Peter T. Martin, and Rodrigo Disegni; 131(9), 708-16 (2005).

Stormont, John C.
Impact of Unsaturated Flow on Pavement Edge-drain Performance. — John C. Stormont and Shenxiong Zhou; 131(1), 46-53 (2005).

Strand, Dan
Heavy Off-Road Vehicle Tire-Pavement Interactions and Response. — Raj V. Siddharthan, Peter E. Sebaaly, Magdy El-Desouky, Dan Strand, and David Huft; 131(3), 239-47 (2005).

Tan, Paulin
Prohibiting Left-Turn Movements at Mid-Block Unsignalized Driveways: Simulation Analysis. — Mashrur Chowdhury, Nichole Derov, Paulin Tan, and Adel Sadek; 131(4), 279-85 (2005).

Tanyel, Serhan
Determining the Capacity of Single-Lane Roundabouts in Izmir, Turkey. — Serhan Tanyel, Türkay Baran, and Mustafa Özuysal; 131(12), 953-6 (T) (2005).

Tarko, Andrew P.
Calibration of Capacity Parameters for Signalized Intersections in Indiana. — Rafael I. Perez-Cartagena and Andrew P. Tarko; 131(12), 904-11 (2005).

Tasora, Alessandro
New Method to Assess Ride Safety on Uneven Element Pavements. — Maurizio Crispino, Alessandro Tasora, and Emmanuele Vaghi; 131(1), 27-36 (2005).

Teng, Hualiang (Harry)
Modeling Vehicle Emissions in Hot-Stabilized Conditions Using a Simultaneous Equations Model. — Hualiang (Harry) Teng, Yi (Grace) Qi, Joon H. Byun, Yuko Nakanishi, and David E. James; 131(10), 762-70 (2005).

Thenoux, Guillermo
Producing a Free–Flow Model for the First Chilean Freeway Using *Highway Capacity Manual 2000*. — Guillermo Thenoux and Soledad Lastra; 131(12), 961-2 (T) (2005).

Theodorakopoulos, Dimitrios D.
Development of Decision-Support System for Managing Highway Safety. — Athanasios P. Chassiakos, Christina Panagolia, and Dimitrios D. Theodorakopoulos; 131(5), 364-73 (2005).

Thom, Nicholas H.
Effect of Bond Condition on Flexible Pavement Performance. — Mariana R. Kruntcheva, Andrew C. Collop, and Nicholas H. Thom; 131(11), 880-8 (2005).

Thomas, David
Planning Urban Highway Reconstruction with Traffic Demand Affected by Construction Schedule. — Eul-Bum Lee, David Thomas, and Loren Bloomberg; 131(10), 752-61 (2005).

Thomas, Fridtjof
Automated Road Segmentation Using a Bayesian Algorithm. — Fridtjof Thomas; 131(8), 591-8 (2005).

Tian, Zong Z.
Development of an Improved Cycle Length Model over the *Highway Capacity Manual 2000* Quick Estimation Method. — DingXin Cheng, Zong Z. Tian, and Carroll J. Messer; 131(12), 890-7 (2005).

Timm, David H.
Axle Load Spectra Characterization by Mixed Distribution Modeling. — David H. Timm, S. Michelle Tisdale, and Rod E. Turochy; 131(2), 83-8 (2005).
Spatial and Temporal Variations in Axle Load Spectra and Impacts on Pavement Design. — Rod E. Turochy, S. Michelle Baker, and David H. Timm; 131(10), 802-8 (T) (2005).

Tisdale, S. Michelle
Axle Load Spectra Characterization by Mixed Distribution Modeling. — David H. Timm, S. Michelle Tisdale, and Rod E. Turochy; 131(2), 83-8 (2005).

Tsekeris, T.
Quasidynamic Network Assignment Procedure with Transient Demand Matrices. — T. Tsekeris and A. Stathopoulos; 131(2), 89-100 (2005).
Discussion of "Multiple-Vehicle Origin–Destination Matrix Estimation from Traffic Counts Using Genetic Algorithm" by Seungkirl Baek, Hyunmyung Kim, and Yongtaek Lim. — T. Tsekeris and A. Stathopoulos; 131(10), 809-10 (2005).

Turochy, Rod E.
Axle Load Spectra Characterization by Mixed Distribution Modeling. — David H. Timm, S. Michelle Tisdale, and Rod E. Turochy; 131(2), 83-8 (2005).
Spatial and Temporal Variations in Axle Load Spectra and Impacts on Pavement Design. — Rod E. Turochy, S. Michelle Baker, and David H. Timm; 131(10), 802-8 (T) (2005).

Vaghi, Emmanuele
New Method to Assess Ride Safety on Uneven Element Pavements. — Maurizio Crispino, Alessandro Tasora, and Emmanuele Vaghi; 131(1), 27-36 (2005).

Velinsky, Steven A.
Practical, Interactive, and Object-Oriented Machine Vision for Highway Crack Sealing. — Xin Feng, Rene Mathurin, and Steven A. Velinsky; 131(6), 451-9 (2005).

Verma, Ashish
Feeder Bus Routes Generation within Integrated Mass Transit Planning Framework. — Ashish Verma and S. L. Dhingra; 131(11), 822-34 (2005).

Virkler, Mark R.
Validation of HCM Pedestrian Delay Model for Interrupted Facilities. — Venkat Chilukuri and Mark R. Virkler; 131(12), 939-45 (2005).

Vuchic, Vukan R.
Transit Network Design with Variable Demand. — Young-Jae Lee and Vukan R. Vuchic; 131(1), 1-10 (2005).

Wall, Robert S.
Street Crossing by Sighted and Blind Pedestrians at a Modern Roundabout. — Daniel H. Ashmead, David Guth, Robert S. Wall, Richard G. Long, and Paul E. Ponchillia; 131(11), 812-21 (2005).

Wang, Yuhong
Survival Analysis of Fatigue Cracking for Flexible Pavements Based on Long-Term Pavement Performance Data. — Yuhong Wang, Kamyar C. Mahboub, and Donn E. Hancher; 131(8), 608-16 (2005).

Watkins, Reynold
Closure to "Modulus of Soil Reaction (E') Values for Pipeline Design" by Jey K. Jeyapalan and Reynold Watkins. — Jey K. Jeyapalan and Reynold Watkins; 131(8), 644 (2005).

Wei, Heng
Video-Capture-Based Approach to Extract Multiple Vehicular Trajectory Data for Traffic Modeling. — Heng Wei, Chuen Feng, Eric Meyer, and Joe Lee; 131(7), 496-505 (2005).

Wei, Liu
Wavelet Analysis and Interpretation of Road Roughness. — Liu Wei, T. F. Fwa, and Zhao Zhe; 131(2), 120-30 (2005).

Weitzel, Dean
Fatigue Characteristics of Superpave and Hveem Mixtures. — Elie Y. Hajj, Peter E. Sebaaly, and Dean Weitzel; 131(4), 302-10 (2005).

White, Thomas D.
Determining Layer Contributions to Rutting by Surface Profile Analysis. — John E. Haddock, Adam J. T. Hand, Hongbing Fang, and Thomas D. White; 131(2), 131-9 (2005).

Wong, Sze Chun
Traffic Counting Location and Error Bound in Origin-Destination Matrix Estimation Problems. — Liping Gan, Hai Yang, and Sze Chun Wong; 131(7), 524-34 (2005).

Wooldridge, Mark D.
Exploration of the Relationships between Operating Speed and Roadway Features on Tangent Sections. — Kay Fitzpatrick, Shaw-Pin Miaou, Marcus Brewer, Paul Carlson, and Mark D. Wooldridge; 131(4), 261-9 (2005).

Yang, Hai
Traffic Counting Location and Error Bound in Origin-Destination Matrix Estimation Problems. — Liping Gan, Hai Yang, and Sze Chun Wong; 131(7), 524-34 (2005).

Yang, Jidong
Use of Recurrent Markov Chains for Modeling the Crack Performance of Flexible Pavements. — Jidong Yang, Manjriker Gunaratne, Jian John Lu, and Bruce Dietrich; 131(11), 861-72 (2005).

Yathapu, Naveen
A Framework for Assessing Models that Rank Highway-Rail Grade Crossings for Improvement. — Mohammad Qureshi, Sindhu Avalokita, and Naveen Yathapu; 131(5), 352-7 (2005).

Yi, Hanwen
Traffic-Count Based Distribution Model for Site Impact Studies (TE-22904). — Hanwen Yi, Thomas E. Mulinazzi, and Joe Lee; 131(4), 286-93 (2005).

Yin, Huifang
Procedural and Operational Consequences of Navigational Equipment Outages: Exploration of Airport Performance. — Jasenka Rakas, Huifang Yin, and Mark Hansen; 131(10), 790-801 (2005).

Young, R.
Installation Load Consideration in Ultra-Deepwater Pipeline Sizing. — M. Kashani and R. Young; 131(8), 632-9 (2005).

Zaman, Musharraf
Analysis of Emulsion and Hot Asphalt Cement Chip Seal Performance. — Douglas D. Gransberg and Musharraf Zaman; 131(3), 229-38 (2005).

Zhang, Lei
Balancing Efficiency and Equity of Ramp Meters. — Lei Zhang and David Levinson; 131(6), 477-81 (T) (2005).

Zhe, Zhao
Wavelet Analysis and Interpretation of Road Roughness. — Liu Wei, T. F. Fwa, and Zhao Zhe; 131(2), 120-30 (2005).

Zhou, Shenxiong
Impact of Unsaturated Flow on Pavement Edge-drain Performance. — John C. Stormont and Shenxiong Zhou; 131(1), 46-53 (2005).

Zineddin, Abdulilah Z.
Impact of Sign Orientation on On-Premise Commercial Signs. — Abdulilah Z. Zineddin, Philip M. Garvey, and Martin T. Pietrucha; 131(1), 11-7 (2005).

Zollinger, Dan G.
Environmental Effects on the Behavior of Jointed Plain Concrete Pavements. — Jin-Hoon Jeong and Dan G. Zollinger; 131(2), 140-8 (2005).